


WELL LOG AND REPORT TO THE STATE ENGINEER OF NEVADA

Log No. 14259
 Rec. _____ 19____
 Well No. _____
 Permit No. 28182
Do not fill in

PLEASE COMPLETE THIS FORM IN ITS ENTIRETY

ROBERT MARRIOTT HYDE
 Owner H. E. Emery



Driller O. W. GULLIA RD.

Address Paradise Valley (Sandhill RD.) Address P. O. Box 2702 Hunt. Lic. No. 115

Location of well: ^WSE 1/4 SE 1/4 Sec. 30 T. 21N/3, R. 62E, in Clark County
 or _____

Water will be used for Domestic Total depth of well 360 ft.

Size of drilled hole 16"-140 ft. 10"-220 ft. Weight of casing per linear foot _____
156 wall 8" 250 ft.

Thickness of casing 1/2 wall 10" 140 ft. Temp. of water _____

Diameter and length of casing 8" 250 ft. 10" 140 ft.
 (Casing 12" in diameter and under give inside diameter; casing 12" in diameter give outside diameter.)

If flowing well give flow in c.f.s. or g.p.m. and pressure 20 gal. per minute

If nonflowing well give depth of standing water from surface _____


If flowing well describe control works Set of flanges 1 1/2 and 2" gate valve
 (Type and size of valve, etc.)

Date of commencement of well 7/20/62 Date of completion of well 8/25/62

Type of well rig Cable tool

LOG OF FORMATIONS

From feet	To feet	Thickness feet	Type of material	Water-bearing Formation, Casing Perforations, Etc.
0	8	8	Sandy black clay	
8	10	2	Black clay and Water	Chief aquifer (water-bearing formation)
10	120	110	Black sandy clay	
120	122	2	Sand & 2st water	from <u>348</u> to <u>352</u> ft.
122	130	8	Light clay	
130	163	33	Sticky clay	Other aquifers _____
163	348	185	Dark brown sticky clay	
348	352	4	Black sand & water	
352	360	8	Hard brown clay	
				First water at <u>10</u> feet
				Casing perforated from <u>340</u> to <u>357</u> ft.
				Size of perforations <u>1/8 x 6"</u>



10-10-10

