


WELL LOG AND REPORT TO THE STATE ENGINEER OF NEVADA

Log No. 22795
 Rec. No. 19
 Well No. 12
 Permit No. 12



Owner Bill and Mickey Childs Driller S. B. RODGERS

Address Jean Nevada Address 3200 Palomino Lane Lic. No. _____

Location of well: $\frac{1}{4}$ $\frac{1}{4}$ Sec., T. N/S, R. E, in Las Vegas Nev. County
 or W $\frac{1}{4}$ SW $\frac{1}{4}$ NW $\frac{1}{4}$ SE $\frac{1}{4}$ Sec. 27 T. 25 E. S. R. 59 E

Water will be used for Domestic Total depth of well 300

Size of drilled hole 10 in. Weight of casing per linear foot 12

Thickness of casing 10 gauge Temp. of water _____

Diameter and length of casing 8 5/8 OD
(Casing 12" in diameter and under give inside diameter; casing 12" in diameter give outside diameter.)

If flowing well give flow in c.f.s. or g.p.m. and pressure _____

If nonflowing well give depth of standing water from surface 250 Ft.

If flowing well describe control works _____
(Type and size of valve, etc.)

Date of commencement of well sept 20 Date of completion of well Oct I 195

Type of well rig Spudder

LOG OF FORMATIONS

From feet	To feet	Thickness feet	Type of material
000	10	10	sand gravel and silt
10	250	240	cement gravel
250	255	5	loose gravel
255	300	45	cement gravel

Water-bearing Formation, Casing Perforations, Etc.

Chief aquifer (water-bearing formation)

from 250 to 255 ft.

Other aquifers none

First water at 250 feet.

Casing perforated

from 240 to 300 ft.

Size of perforations
1 X 4 in.

LOG OF FORMATIONS—Continued

From feet	To feet	Thickness	Type of material

CASING RECORD

Diam. casing	From feet	To feet	Length	"Remarks"—Seals, Grouting, Etc.
8 in	surface	300	20 L	Cem ented from surface to 50 ft. 1 yd. cement.

GENERAL INFORMATION—Pumping Test, Quality of Water, Etc.

WELL DRILLER'S STATEMENT

This well was drilled under my jurisdiction and the above information is true to my best information and belief.

Signed *A. B. Riddick*
Well Driller

By

License No. 256

1927, 1927

(Not to be filled in by Driller)
