WHITE—DIVISION OF WATER RESOURCES
CANARY—CLIENT'S COPY
PINK—WELL DRILLER'S COPY

STATE OF NEVADA
DIVISION OF WATER RESOURCES

WELL DRILLERS REPORT

Please complete this form in its entirety

OFFICE USE ONLY
Log No. 24035
Permit No.
Basin

1. OWNER Josheph Lowzowsky ADDRESS 1822 Harte Rd V.C. Highlands.

2. LOCATION NW ¼ SE ¼ Sec. 5 T. 17 N/S R. 21 E. Storey County
PERMIT NO.

3. TYPE OF WORK
New Well ☒ Recondition ☐
Deepen ☐ Other ☐

4. PROPOSED USE
Domestic ☒ Irrigation ☐ Test ☐
Municipal ☐ Industrial ☐ Stock ☐

5. TYPE WELL
Cable ☐ Rotary ☒
Other ☐

6. LITHOLOGIC LOG

Material	Water Strata	From	To	Thickness
Clay top Soil		0	4	4
Brown Andesite		4	52	48
Fractured Grey Andesite	* 3gpm	52	110	58
Fractured Pink Andesite	* 8gpm	110	145	35
Fractured Blue Andesite	** 15gpm	145	175	30
This Well Has an Enloe Drill-through plug welded on the bottom.				

Date started Aug. 27, 19 82
Date completed Aug. 28, 19 82

7. WELL TEST DATA

Pump RPM	G.P.M.	Draw Down	After Hours Pump
Air Lift	15+	—	2

BAILER TEST
G.P.M. Draw down feet hours
G.P.M. Draw down feet hours
G.P.M. Draw down feet hours

8. WELL CONSTRUCTION
Diameter hole 10", 8" inches Total depth 50-, 175 feet
Casing record 176' x 6 5/8
Weight per foot Thickness .188

Diameter	From	To
6 5/8 inches	+1 feet	175 feet
inches	feet	feet
inches	feet	feet
inches	feet	feet
inches	feet	feet
inches	feet	feet

Surface seal: Yes ☒ No ☐ Type Grout
Depth of seal 50' feet
Gravel packed: Yes ☒ No ☐
Gravel packed from 50 feet to 175 feet

Perforations:
Type perforation Factory milled
Size perforation 3/32
From 115 feet to 135 feet
From 150 feet to 175 feet
From feet to feet
From feet to feet
From feet to feet

9. WATER LEVEL
Static water level 60 Feet below land surface
Flow G.P.M. 15
Water temperature Cool °F. Quality Clear

10. DRILLERS CERTIFICATION
This well was drilled under my supervision and the report is true to the best of my knowledge.

Name Enloe Drilling Co.
Address 2210 Utah St.
Nevada contractor's license number 4739 A
Nevada driller's license number 794
Signed Jim V. Enloe
Date Aug. 30

USE ADDITIONAL SHEETS IF NECESSARY

O-627

'82 AUG 30 P3:01

RECEIVED
STATE ENGINEERS OFFICE

WHITE—DIVISION OF WATER RESOURCES
CANARY—CLIENT'S COPY
PINK—WELL DRILLER'S COPY

STATE OF NEVADA
DIVISION OF WATER RESOURCES

WELL DRILLERS REPORT

Please complete this form in its entirety

OFFICE USE ONLY
Log No. 24035
Permit No.
Basin

1. OWNER Josheph Lowzowsky ADDRESS 1822 Harte Rd V.C. Highlands.

2. LOCATION NW ¼ SE ¼ Sec. 5 T. 17 N/S R. 21 E. Storey County
PERMIT NO.

3. TYPE OF WORK
New Well ☒ Recondition ☐
Deepen ☐ Other ☐

4. PROPOSED USE
Domestic ☒ Irrigation ☐ Test ☐
Municipal ☐ Industrial ☐ Stock ☐

5. TYPE WELL
Cable ☐ Rotary ☒
Other ☐

6. LITHOLOGIC LOG

Material	Water Strata	From	To	Thickness
Clay top Soil		0	4	4
Brown Andesite		4	52	48
Fractured Grey Andesite	* 3gpm	52	110	58
Fractured Pink Andesite	* 8gpm	110	145	35
Fractured Blue Andesite	** 15gpm	145	175	30
This Well Has an Enloe Drill-through plug welded on the bottom.				

Date started Aug 27, 19 82
Date completed Aug 28, 19 82

7. WELL TEST DATA

Pump RPM	G.P.M.	Draw Down	After Hours Pump
Air Lift	15+	—	2

BAILER TEST
G.P.M. Draw down feet hours
G.P.M. Draw down feet hours
G.P.M. Draw down feet hours

8. WELL CONSTRUCTION
Diameter hole 10", 8" inches Total depth 50-, 175 feet
Casing record 176' x 6 5/8
Weight per foot Thickness .188

Diameter	From	To
6 5/8 inches	+1 feet	175 feet
inches	feet	feet
inches	feet	feet
inches	feet	feet
inches	feet	feet
inches	feet	feet

Surface seal: Yes ☒ No ☐ Type Grout
Depth of seal 50' feet
Gravel packed: Yes ☒ No ☐
Gravel packed from 50 feet to 175 feet

Perforations:
Type perforation Factory Milled
Size perforation 5/32
From 115 feet to 135 feet
From 150 feet to 175 feet
From feet to feet
From feet to feet
From feet to feet

9. WATER LEVEL
Static water level 60 Feet below land surface
Flow G.P.M. 15
Water temperature Cool ° F. Quality Clear

10. DRILLERS CERTIFICATION
This well was drilled under my supervision and the report is true to the best of my knowledge.

Name Enloe Drilling Co.
Address 2210 Utah St.
Nevada contractor's license number 4739 A
Nevada driller's license number 794
Signed Jim V. Enloe
Date Aug 30

USE ADDITIONAL SHEETS IF NECESSARY

O-627