

# WELL LOG AND REPORT TO THE STATE ENGINEER OF NEVADA

PLEASE COMPLETE THIS FORM IN ITS ENTIRETY

Log No. 25134  
 Rec. 19  
 Well No. \_\_\_\_\_  
 Permit No. 47115  
*Do not fill in*

Owner: CHARLES DENNIS  
~~Vincent Silvestri~~ Driller: S. R. Mc Kinney & Sons, Inc.  
 Address: 2309 Beverly Way, L.V. Address: 1042 So. Main Lic. No. 45

Location of well: NE 1/4 SE 1/4 Sec. 31, T21 N/S, R62 E, in Clark County  
 or # 47115

Water will be used for Domestic Total depth of well 200 feet

Size of drilled hole 12" to 55' 8" to 200' Weight of casing per linear foot 10 gauge

Thickness of casing 10 gauge Temp. of water \_\_\_\_\_

Diameter and length of casing 8" ID from 0 to 200'  
(Casing 12" in diameter and under give inside diameter; casing 12" in diameter give outside diameter.)

If flowing well give flow in c.f.s. or g.p.m. and pressure \_\_\_\_\_

If nonflowing well give depth of standing water from surface 9'

If flowing well describe control works \_\_\_\_\_  
(Type and size of valve, etc.)

Date of commencement of well 1-25-61 Date of completion of well 2-3-61

Type of well rig Bucyrus Erie 24 L

### LOG OF FORMATIONS

From feet	To feet	Thickness feet	Type of material
0	48	48	Greyish blue sand
48	52	4	greyish blue sand (Water)
52	78	26	Green clay (Water)
78	92	14	clay & gravel (Water)
92	112	20	gravel & clay
112	122	10	brown clay
122	140	18	gravelly clay
140	175	35	brown gravelly clay
175	191	16	gravelly clay (Water)
191	200	9	Hard gravelly clay (Water)

Water-bearing Formation, Casing Perforations, Etc.

Chief aquifer (water-bearing formation)  
 from 191 to 200 ft.  
 Other aquifers 52 to 78'  
48 to 52  
78 to 92  
175 to 191  
191 to 200  
 First water at 48' feet.  
 Casing perforated  
 from 80 to 200 ft.  
 Size of perforations  
3/16" x 10"





1

2

3

4