

Log# 9240A  
 Office Use  
 Log No. \_\_\_\_\_  
 Permit No. 45340  
 Basin 1-3

**WELL DRILLERS REPORT**

PRINT OR TYPE ONLY

Please complete this form in its entirety

NOTICE OF INTENT NO. 4667

1. OWNER Richard Drake ADDRESS AT WELL LOCATION So. Denio, NV  
 MAILING ADDRESS 440 Reinhart  
Winnemucca, NV 89445  
 2. LOCATION NE 1/4 NE 1/4 Sec. 3 T. 43N N/S R. 27E E Humboldt County  
 PERMIT NO. 45339  
 Issued by Water Resources Parcel No. Subdivision Name

3. TYPE OF WORK  
 New Well  Recondition   
 Deepen  Other   
 4. PROPOSED USE  
 Domestic  Irrigation  Test   
 Municipal  Industrial  Stock   
 5. TYPE WELL  
 Cable  Rotary   
 Other  Reverse

6. LITHOLOGIC LOG

Material	Water Strata	From	To	Thick-ness
Sand, Gravel & Rock		0	40	28"
Sand, Gravel, Sma. to Lg. Rock		40	85	
Sand, Gravel, Sma. to Lg. Rock w/ Brn. Clay Sandwd.		85	105	
Brown Clay		105	109	
Sand, Gravel, Brn. Clay Mxd.		109	113	
Brn. Clay & sm. Sand		113	123	
Sand, Sm/. Gravel & Some Brn. Clay		123	130	
Brn. Clay w/ Sand & Gravel		130	144	
Crse. Sand + Sma. Amt. Brn. Clay		144	147	
Brn. Clay w/ Some Sand		147	149	
Sand, Gravel w/ Some Clay		149	154	
Sand, Gravel (Run. into Brkn. Lava, Granite & Clay		154	160	
Brkn. Lava + Gran. & Clay		160	162	
Brn. Clay w/ S. Gravel		162	165	
Sandwiched w/ Crse. Sand & Clay		165	187	
Fine to crse. sand & Small Gravel		187	189	
Brn. Clay w/ Sma. Amt. Sand		189	200	

8. WELL CONSTRUCTION  
 Diameter hole 28 inches Total depth 705 feet  
 Casing record Steel - 16"  
 Weight per foot 42.05# Thickness .250  
 (See attached sheet)  
 Surface seal: Yes  No  Type \_\_\_\_\_  
 Depth of seal \_\_\_\_\_ feet  
 Gravel packed: Yes  No   
 Gravel packed from \_\_\_\_\_ feet to \_\_\_\_\_ feet  
 Roscoe Moss Wirewrap  
 Screens (See attached sheet)  
 Type perforation \_\_\_\_\_  
 Size perforation \_\_\_\_\_  
 From \_\_\_\_\_ feet to \_\_\_\_\_ feet  
 From \_\_\_\_\_ feet to \_\_\_\_\_ feet

9. WATER LEVEL  
 Static water level \_\_\_\_\_ feet below land surface  
 Flow \_\_\_\_\_ G.P.M. \_\_\_\_\_ P.S.I.  
 Water temperature \_\_\_\_\_ ° F. Quality \_\_\_\_\_

10. DRILLERS CERTIFICATION  
 This well was drilled under my supervision and the report is true to the best of my knowledge.  
 Name PETE COPE DRILLING CO., INC.  
6505 West Chinden Blvd.  
 Address Meridian, ID 83642  
 Nevada contractor's license number 13443  
 Nevada contractor's drillers number 1457  
 Nevada driller's license number 1456  
 Signed Pete Cope Actual Driller  
 Date May 19, 1989

Date started May 1, 1989  
 Date completed May 12, 1989

7. WELL TEST DATA

Pump RPM	G.P.M.	Draw Down	After Hours Pump

BAILER TEST  
 G.P.M. \_\_\_\_\_ Draw down \_\_\_\_\_ feet \_\_\_\_\_ hours  
 G.P.M. \_\_\_\_\_ Draw down \_\_\_\_\_ feet \_\_\_\_\_ hours  
 G.P.M. \_\_\_\_\_ Draw down \_\_\_\_\_ feet \_\_\_\_\_ hours

WHITE-DIVISION OF WATER RESOURCES  
CANARY-CLIENT'S COPY  
PINK-WELL DRILLER'S COPY

STATE OF NEVADA  
DIVISION OF WATER RESOURCES

OFFICE USE ONLY  
Log No. 32484  
Permit No. 45340  
Basin

WELL DRILLERS REPORT

Please complete this form in its entirety

PRINT OR TYPE ONLY

NOTICE OF INTENT NO. ....

1. OWNER Richard Drake ADDRESS AT WELL LOCATION .....  
MAILING ADDRESS .....

2. LOCATION ..... 1/4 ..... 1/4 Sec. .... T. .... N/S R. .... E. .... County .....

PERMIT NO. .... Issued by Water Resources ..... Parcel No. .... Subdivision Name .....

3. TYPE OF WORK  
New Well  Recondition   
Deepen  Other

4. PROPOSED USE  
Domestic  Irrigation  Test   
Municipal  Industrial  Stock

5. TYPE WELL  
Cable  Rotary   
Other

6. LITHOLOGIC LOG

Material	Water Strata	From	To	Thick-ness
Fine to crse. Sand	w/			28"
Sma. Amt. Clay		200	204	
Gray Hard Clay,				
Turning to Brn. Clay-Softening		204	214	
Gray Clay/mxd. Brn.		214	220	
Crse. Sand & Sma. Gravel w/ Clay		220	255	
Brn. Clay w/ very Little Sand		255	265	
Crse. Sand & Clay Mxd.		265	305	
Crse. Sand & Brn. Clay		305	315	
Brn. Clay Mxd. w/ crse. Sand		315	325	
Brn. Clay		325	335	
Brn. Clay w/ Crse. Sand & Sma. Gravel Mxd.		335	345	
Brn. Clay w/ Stks. Sand		345	355	
Crse. Sand & Clay Mxd. w/ Sma. Gravel at end		355	365	
Crse. Sand w/ Sma. Gravel & Little Clay		365	370	
Brown Clay		370	380	
Sand + 3/4" Gravel		380	405	
Brown Clay		405	410	
Brn. Clay w/ Crse. Sand & Gravel		410	415	
Crse. Sand & Sma. Gravel		415	418	

8. WELL CONSTRUCTION  
Diameter hole ..... inches Total depth ..... feet  
Casing record .....  
Weight per foot ..... Thickness .....  
Diameter From To  
..... inches ..... feet ..... feet  
Surface seal: Yes  No  Type .....  
Depth of seal ..... feet  
Gravel packed: Yes  No   
Gravel packed from ..... feet to ..... feet  
Perforations:  
Type perforation .....  
Size perforation .....  
From ..... feet to ..... feet  
From ..... feet to ..... feet

9. WATER LEVEL  
Static water level ..... feet below land surface  
Flow ..... G.P.M. .... P.S.I.  
Water temperature ..... ° F. Quality .....

10. DRILLERS CERTIFICATION  
This well was drilled under my supervision and the report is true to the best of my knowledge.  
Name ..... Contractor  
Address ..... Contractor  
Nevada contractor's license number .....  
Nevada contractor's drillers number .....  
Nevada driller's license number ..... Actual Driller  
Signed ..... Contractor  
Date .....

Date started ..... 19.....  
Date completed ..... 19.....

7. WELL TEST DATA

Pump RPM	G.P.M.	Draw Down	After Hours Pump

BAILER TEST  
G.P.M. .... Draw down ..... feet ..... hours  
G.P.M. .... Draw down ..... feet ..... hours  
G.P.M. .... Draw down ..... feet ..... hours

WELL DRILLERS REPORT

PRINT OR TYPE ONLY

Please complete this form in its entirety

NOTICE OF INTENT NO.....

1. OWNER Richard Drake ADDRESS AT WELL LOCATION  
MAILING ADDRESS

2. LOCATION 1/4 1/4 Sec. T N/S R. E County  
PERMIT NO. Issued by Water Resources Parcel No. Subdivision Name

3. TYPE OF WORK 4. PROPOSED USE 5. TYPE WELL  
New Well Recondition Domestic Irrigation Test Cable Rotary  
Deepen Other Municipal Industrial Stock Other

6. LITHOLOGIC LOG table with columns: Material, Water Strata, From, To, Thickness. Rows include Brn. Clay w/Sand & Gravel, Crse. Sand w/Sma. Grvl., Brn. Clay w/Sm. Amts., Sand & Gravel, Sand, Grvl. & Sme. Clay, Crse. Sand & Gravel, Brn. Clay, Crse. Sand & Gravel, Brn. Clay & Sand & Gravel Mxd., Sand, Grv. & Some Clay, Brn. Clay & Some Sand, Crse. Sand & Gravel, Brn. Clay w/ some Sand & Gravel, Crse. Sand & Gravel, Brn. Clay, Crse. Sand & Gravel w/Sma. Amts. Brn. Clay, Brn. Clay, Crse. Sand & Gravel w/Some Clay in Places, Brn. Clay, Crse. Sand & Gravel, Brn. Clay w/Stks. of Sand & Gravel, Crse. Sand, Gvl. & Brn. Clay.

8. WELL CONSTRUCTION  
Diameter hole inches Total depth feet  
Casing record  
Weight per foot Thickness  
Diameter From To  
Surface seal: Yes No Type  
Depth of seal feet  
Gravel packed: Yes No  
Gravel packed from feet to feet  
Perforations:  
Type perforation  
Size perforation  
From feet to feet  
From feet to feet  
From feet to feet  
From feet to feet  
From feet to feet

Date started 19...  
Date completed 19...

9. WATER LEVEL  
Static water level feet below land surface  
Flow G.P.M. P.S.I.  
Water temperature F. Quality

7. WELL TEST DATA table with columns: Pump RPM, G.P.M., Draw Down, After Hours Pump. Includes handwritten data: 88:6V E-100 68.

10. DRILLERS CERTIFICATION  
This well was drilled under my supervision and the report is true to the best of my knowledge.  
Name Contractor  
Address Contractor  
Nevada contractor's license number  
Nevada contractor's drillers number  
Nevada driller's license number Actual Driller  
Signed Contractor  
Date

BAILER TEST  
G.P.M. Draw down feet hours  
G.P.M. Draw down feet hours  
G.P.M. Draw down feet hours

WHITE-DIVISION OF WATER RESOURCES  
CANARY-CLIENT'S COPY  
PINK-WELL DRILLER'S COPY

STATE OF NEVADA  
DIVISION OF WATER RESOURCES

OFFICE USE ONLY  
Log No. 32484  
Permit No.  
Basin

WELL DRILLERS REPORT

Please complete this form in its entirety

PRINT OR TYPE ONLY

NOTICE OF INTENT NO.

1. OWNER Richard Drake ADDRESS AT WELL LOCATION  
MAILING ADDRESS

2. LOCATION 1/4 1/4 Sec. T. N/S R. E. County  
PERMIT NO. Issued by Water Resources Parcel No. Subdivision Name

3. TYPE OF WORK 4. PROPOSED USE 5. TYPE WELL  
New Well Recondition Domestic Irrigation Test Cable Rotary  
Deepen Other Municipal Industrial Stock Other

6. LITHOLOGIC LOG table with columns: Material, Water Strata, From, To, Thickness. Rows include Crse. Sand & Gravel, Brn. Clay, Sand & Gravel, etc.

8. WELL CONSTRUCTION  
Diameter hole inches Total depth feet  
Casing record  
Weight per foot Thickness  
Diameter From To  
Surface seal: Yes No Type  
Depth of seal  
Gravel packed: Yes No  
Gravel packed from feet to feet  
Perforations:  
Type perforation  
Size perforation  
From feet to feet

9. WATER LEVEL  
Static water level feet below land surface  
Flow G.P.M. P.S.I.  
Water temperature ° F. Quality

Date started, 19...  
Date completed, 19...

7. WELL TEST DATA table with columns: Pump RPM, G.P.M., Draw Down, Water Hours Pump. Includes handwritten values like 88.64, 3-100, 68.

10. DRILLERS CERTIFICATION  
This well was drilled under my supervision and the report is true to the best of my knowledge.  
Name Contractor  
Address Contractor  
Nevada contractor's license number  
Nevada contractor's drillers number  
Nevada driller's license number Actual Driller  
Signed Contractor  
Date

BAILER TEST  
G.P.M. Draw down feet hours  
G.P.M. Draw down feet hours  
G.P.M. Draw down feet hours

# 32484

RICHARD DRAKE

CASING SCHEDULE ON WELL AT DENIO, NV.

<u>CASING</u>				<u>SCREENS</u>			
+2'	-	268'	- 270'	268'	-	278'	- 10'
278'	-	308'	- 30'	308'	-	318'	- 10'
318'	-	348'	- 30'	348'	-	358'	- 10'
358'	-	388'	- 30'	388'	-	398'	- 10'
398'	-	428'	- 30'	428'	-	438'	- 10'
438'	-	468'	- 30'	468'	-	478'	- 10'
478'	-	498'	- 20'	498'	-	508'	- 10'
508'	-	528'	- 20'	528'	-	568'	- 40'
568'	-	588'	- 20'	588'	-	608'	- 20'
608'	-	628'	- 20'	628'	-	638'	- 10'
638'	-	658'	- 20'	658'	-	668'	- 10'
668'	-	678'	- 10'	678'	-	688'	- 10'
688'	-	698'	- <u>10'</u>				

160' S

540' Casing

W. W. WILSON & SONS

89 OCT -3 1938