

PRELIMINARY

DRAFT

WELL LOG: WELL R-E
Depth (in Feet)
From

- 0 3 Sand and gravel, light to medium gray.
- 3 228 Limestone, massive, fine grained, hard, contains chert, black, white calcite deposits along fractures, light gray to dark olive gray.
- 228 250 Limestone, fine-grained, massive, hard, contains lenses of black chert and calcite, light to medium gray.
- 250 270 Limestone, massive, fine-grained, hard, contains lenses of black chert, light to dark gray.
- 270 280 Limestone, white.
- 280 290 Limestone, massive, hard, contains lenses of black chert, light to dark gray.
- 290 300 Gravel medium to light gray with some calcite.
- 300 320 Chert, black, hard.
- 320 340 Limestone, light gray strong chert, calcite along fractures, white, some brownish staining, light to medium gray.
- 340 360 Limestone, light gray fine grained, massive, medium to light gray, contains thin laminae of clay, white to gray, very calcareous.
- 360 380 Gravel light to light tan.
- 380 400 Gravel medium to light brown, very calcareous.
- 400 420 Limestone, light gray, fine grained, massive, medium to light gray.
- 420 440 Limestone, fine-grained, hard, massive, light to medium gray, with quartz veins 1-2 millimeter wide, some thin, some coarse.

This log was originally drilled to 442 feet depth. The well was abandoned at a depth of 380 feet due to well completion.

WELL LOG

Well No. _____

Location _____

Drilled by _____

Logged by _____

Checked by _____

Scale _____

Notes: _____

Remarks: _____

Bentonite Seal: Type: _____ Depth: _____

Grout Seal: Type: _____ Depth: _____

