WHITE—DIVISION OF WATER RESOURCES
CANARY—CLIENT'S COPY
PINK—WELL DRILLER'S COPY

STATE OF NEVADA
DIVISION OF WATER RESOURCES

WELL DRILLER'S REPORT

Please complete this form in its entirety

OFFICE USE ONLY
Log No. 37879
Permit No.
Basin 87

PRINT OR TYPE ONLY

NOTICE OF INTENT NO. 17273

1. OWNER Dermody Property
MAILING ADDRESS 1200 Financial Blvd Reno, NV 89502
ADDRESS AT WELL LOCATION 300 Grand Canyon Blvd Reno, NV

2. LOCATION NE ¼ SW ¼ Sec. 13 T. 19 N S R. 1 E County
PERMIT NO. M10-474 Issued by Water Resources | Parcel No. | Subdivision Name

3. TYPE OF WORK
New Well ☒ Recondition ☐
Deepen ☐ Other ☐

4. PROPOSED USE
Domestic ☐ Irrigation ☐ Test ☒
Municipal ☐ Industrial ☐ Stock ☐

5. TYPE WELL
Cable ☐ Rotary ☐
Other ☒ odex

6. M-3 LITHOLOGIC LOG

Material	Water Strata	From	To	Thickness
SANDY CLAY	No	0	3'	3'
Sandy Gravel with Consid. cobbles	yes	3'	25'	22'

Date started 11-13, 1991
Date completed 11-13, 1991

7. WELL TEST DATA

Pump RPM	G.P.M.	Draw Down	After Hours Pump
	N/A		

BAILER TEST
G.P.M. N/A Draw down ..... feet ..... hours
G.P.M. ..... Draw down ..... feet ..... hours
G.P.M. ..... Draw down ..... feet ..... hours

8. WELL CONSTRUCTION
Diameter 5 inches Total depth 25' feet
..... inches
..... inches
Casing record Schedule 40 PVC
Weight per foot ..... Thickness .....

Diameter	From	To
2 inches	0 feet	25' feet
inches	feet	feet
inches	feet	feet
inches	feet	feet
inches	feet	feet
inches	feet	feet

Surface seal: Yes ☒ No ☐ Type Neat Cement
Depth of seal 10' feet
Gravel packed: Yes ☒ No ☐
Gravel packed from 10 feet to 25 feet

Perforations:
Type perforation Factory Slotted
Size perforation 0.020
From 13.5' feet to 23' feet
From ..... feet to ..... feet
From ..... feet to ..... feet
From ..... feet to ..... feet
From ..... feet to ..... feet

9. WATER LEVEL
Static water level 19.3 feet below land surface
Flow N/A G.P.M. N/A P.S.I.
Water temperature Cold °F Quality N/A

10. DRILLER'S CERTIFICATION
This well was drilled under my supervision and the report is true to the best of my knowledge.
Name [signature] Contractor
Address 1635 Bulfrog RD RENO NEV. Contractor
Nevada contractor's license number issued by the State Contractor's Board .....
Nevada contractor's driller's number issued by the Division of Water Resources .....
Nevada driller's license number issued by the Division of Water Resources, the on-site driller 1023
Signed [signature] By driller performing actual drilling on site or contractor
Date 12/18/91

STATE ENGINEER
'92 JAN -7 AM 11:12

(Rev. 11-85) USE ADDITIONAL SHEETS IF NECESSARY (O)-627

WHITE—DIVISION OF WATER RESOURCES
CANARY—CLIENT'S COPY
PINK—WELL DRILLER'S COPY

STATE OF NEVADA
DIVISION OF WATER RESOURCES

WELL DRILLER'S REPORT

Please complete this form in its entirety

OFFICE USE ONLY
Log No. 37879
Permit No.
Basin 87

PRINT OR TYPE ONLY

NOTICE OF INTENT NO. 17272

1. OWNER Permodies Properties
MAILING ADDRESS 1200 Financial Blvd
Reno, NV 89502

ADDRESS AT WELL LOCATION 300 Grand Canyon Blvd
Reno, NV

2. LOCATION NE ¼ SW ¼ Sec. 13 T. 19 N/S R. 19 E. Washoe County
PERMIT NO. M/O - 474 (Issued by Water Resources) | Parcel No. | Subdivision Name

3. TYPE OF WORK
New Well ☒ Recondition ☐
Deepen ☐ Other ☐

4. PROPOSED USE
Domestic ☐ Irrigation ☐ Test ☒
Municipal ☐ Industrial ☐ Stock ☐

5. TYPE WELL
Cable ☐ Rotary ☐
Other ☒ Odex

6. M-2 LITHOLOGIC LOG

Material	Water Strata	From	To	Thickness
CLAY, with SAND	No	0'	4'	4'
SANDY GRAVEL, with some Cobbles	yes	4'	25'	21'

Date started 11-12, 19 91
Date completed 11-13, 19 91

7. WELL TEST DATA

Pump RPM	G.P.M.	Draw Down	After Hours Pump
NA			

BAILER TEST
G.P.M. NA Draw down ____ feet ____ hours
G.P.M. ____ Draw down ____ feet ____ hours
G.P.M. ____ Draw down ____ feet ____ hours

8. WELL CONSTRUCTION
Diameter 5 inches Total depth 25' feet
____ inches
____ inches
Casing record Schedule 40 PVC
Weight per foot ____ Thickness ____

Diameter	From	To
2 inches	0 feet	25' feet
inches	feet	feet
inches	feet	feet
inches	feet	feet
inches	feet	feet
inches	feet	feet

Surface seal: Yes ☒ No ☐ Type Neat Cement
Depth of seal 10' feet
Gravel packed: Yes ☒ No ☐
Gravel packed from 10 feet to 25' feet

Perforations:
Type perforation Factory Slotted
Size perforation 0.020"
From 15.5' feet to 24' feet
From ____ feet to ____ feet
From ____ feet to ____ feet
From ____ feet to ____ feet
From ____ feet to ____ feet

9. WATER LEVEL
Static water level 19.5' feet below land surface
Flow N/A G.P.M. N/A P.S.I.
Water temperature Cold °F Quality N/A

10. DRILLER'S CERTIFICATION
This well was drilled under my supervision and the report is true to the best of my knowledge.
Name [signature]
Address 1635 Bulpard Rd. Reno Nev. 89509 (Contractor)
Nevada contractor's license number issued by the State Contractor's Board
Nevada contractor's driller's number issued by the Division of Water Resources
Nevada driller's license number issued by the Division of Water Resources, the on-site driller 1028
Signed [signature] (By driller performing actual drilling on-site or contractor)
Date 12/18/91

(Rev. 11-85) USE ADDITIONAL SHEETS IF NECESSARY (O)-627

92 JAN -7 AM 11:12
STATE ENGINEER

WHITE—DIVISION OF WATER RESOURCES
CANARY—CLIENT'S COPY
PINK—WELL DRILLER'S COPY

STATE OF NEVADA
DIVISION OF WATER RESOURCES

WELL DRILLER'S REPORT

Please complete this form in its entirety

OFFICE USE ONLY
Log No. 37879
Permit No.
Basin 87

PRINT OR TYPE ONLY

NOTICE OF INTENT NO. 17271

1. OWNER Dermody Properties
MAILING ADDRESS 1200 Financial Blvd Reno, NV 89502
ADDRESS AT WELL LOCATION 300 Grand Canyon Blvd Reno, NV

2. LOCATION NE ¼ SW ¼ Sec. 13 T. 19 N/S R. 19 E. Washoe County
PERMIT NO. M/O - 474 (Issued by Water Resources) Parcel No. Subdivision Name

3. TYPE OF WORK: New Well ☒ Recondition ☐ Deepen ☐ Other ☐

4. PROPOSED USE: Domestic ☐ Irrigation ☐ Test ☒ Municipal ☐ Industrial ☐ Stock ☐

5. TYPE WELL: Cable ☐ Rotary ☐ Other ☒ - ODEX

6. M-1 LITHOLOGIC LOG

Material	Water Strata	From	To	Thickness
CLAY, with sand	NO	0'	3'	3'
SANDY GRAVEL with Consid. Cobbles	yes	3'	25'	22'

8. WELL CONSTRUCTION

Diameter 5 inches Total depth 25 feet
inches
inches
Casing record Schedule 40 PVC
Weight per foot 0.5 Thickness

Diameter	From	To
2 inches	0 feet	25' feet
inches	feet	feet
inches	feet	feet
inches	feet	feet
inches	feet	feet
inches	feet	feet

Surface seal: Yes ☒ No ☐ Type Neat Cement
Depth of seal 12.5' feet
Gravel packed: Yes ☒ No ☐
Gravel packed from 12.5 feet to 25' feet

Perforations:
Type perforation Factory Slotted
Size perforation 0.020"
From 14.5 feet to 24' feet
From feet to feet
From feet to feet
From feet to feet
From feet to feet

9. WATER LEVEL
Static water level 19.3 feet below land surface
Flow N/A G.P.M. N/A P.S.I.
Water temperature Cold °F Quality N/A

Date started 11-12, 1991
Date completed 11-12, 1991

7. WELL TEST DATA

Pump RPM	G.P.M.	Draw Down	After Hours Pump
NA			

BAILER TEST
G.P.M. NA Draw down feet hours
G.P.M. Draw down feet hours
G.P.M. Draw down feet hours

10. DRILLER'S CERTIFICATION
This well was drilled under my supervision and the report is true to the best of my knowledge.
Name [signature] Contractor
Address 1635 Bellford Rd. Reno Nev. Contractor
Nevada contractor's license number issued by the State Contractor's Board
Nevada contractor's driller's number issued by the Division of Water Resources
Nevada driller's license number issued by the Division of Water Resources, the on-site driller 1028
Signed [signature] By driller performing actual drilling on site or contractor
Date 12/18/91

(Rev. 11-85) USE ADDITIONAL SHEETS IF NECESSARY (O)-627