

WELL LOG AND REPORT TO THE STATE ENGINEER OF NEVADA

PLEASE COMPLETE THIS FORM IN ITS ENTIRETY

Log No. 52369
Rec. _____ 19__
Well No. _____
Permit No. _____

Do not fill in

Owner Susie Smith ~~Buck Casaty~~ Driller S.R. McKinney and Sons, Inc.

Address Indian Springs, Nevada Address 1042 So. Main St. Lic. No. 45

Location of well: $\frac{1}{4}$ Sec. _____, T. 16 N/S, R. 5 E, in Clark APN# 059-08701 County
or Approx. $\frac{1}{2}$ mile south of Indian Springs Store

Water will be used for Domestic Total depth of well 100 feet

Size of drilled hole 10" reamed 12" to 50 ft. Weight of casing per linear foot 10 gauge

Thickness of casing 10 gauge Temp. of water _____

Diameter and length of casing 8" ID, 100 ft.
(Casing 12" in diameter and under give inside diameter; casing 12" in diameter give outside diameter.)

If flowing well give flow in c.f.s. or g.p.m. and pressure _____

If nonflowing well give depth of standing water from surface 16 feet

If flowing well describe control works _____
(Type and size of valve, etc.)

Date of commencement of well 2/17/60 Date of completion of well 2/22/60

Type of well rig Bucyrus Erie 22W

LOG OF FORMATIONS

From feet	To feet	Thickness feet	Type of material
0	15	15	Gravel
15	20	5	gravelly clay
20	27	7	sandy clay
27	34	7	cement gravel-water
34	65	31	cement gravel
65	66	1	clay
66	70	4	cement gravel
70	74	4	sandy clay
74	78	4	cement gravel
78	80	2	cement gravel-water sand
80	100	20	cement gravel-water

Water-bearing Formation, Casing Perforations, Etc.

Chief aquifer (water-bearing formation)

from 80 to 100 ft.

Other aquifers 27-34
78-80

First water at 27 feet.

Casing perforated

from 60 to 100 ft.

Size of perforations

3/16" x 10"



