

WELL LOG AND REPORT TO THE STATE ENGINEER OF NEVADA

PLEASE COMPLETE THIS FORM IN ITS ENTIRETY

Log No. 52966
 Rec. 19
 Well No. _____
 Permit No. _____
Do not put in

Owner Major George Blackwell Driller Douglas Slagter

Address Box 55 - East Las Vegas, Nevada Address P.O. Box 2081 - LV Lic. No. 137

Location of well SE 1/4 NE 1/4 Sec 24, T21 N/S, R6 E, in Clark County

Water will be used for Domestic Total depth of well 180

Size of drilled hole 12" Weight of casing per linear foot 12 1/2 #

Thickness of casing 10 gage Temp. of water cool

Diameter and length of casing 8 5/8 x 10 gage x 180 ft long
(Casing 12" in diameter and under give inside diameter; casing 12" in diameter give outside diameter.)

If flowing well give flow in c.f.s. or g.p.m. and pressure _____

If nonflowing well give depth of standing water from surface 12 ft

If flowing well describe control works _____
(Type and size of valve, etc.)

Date of commencement of well Feb-21¹⁹⁶² approx Date of completion of well Feb-24 1962 approx

Type of well rig Buccona Eric 29 W - Cable Tool

LOG OF FORMATIONS

From feet	To feet	Thickness feet	Type of material
0	2	2	Blow Sand
2	15	13	Sandy Clay - mostly Sand
15	25	10	Clay
25	26	1	Soft Rock
* 26	28	2	Water
28	55	32	Sticky Clay
* 55	63	8	Water
63	90	27	Sticky Red Clay
* 90	105	15	Water & Gravel
105	145	40	Sticky Lt Brn Clay
* 145	155	10	Water & Gravel
155	165	10	Sticky Red Clay
* 165	170	5	Water, gravel
170	180	10	Sticky Lt Brn Clay

Water-bearing Formation, Casing Perforations, Etc.

Chief aquifer (water-bearing formation)

from 145 to 155 ft.

Other aquifers 26-28

55-63

90-105

165-170

First water at 26 feet.

Casing perforated

from 50 to 180 ft.

Size of perforations

1/8 x 10 in long



