

WELL LOG AND REPORT TO THE STATE ENGINEER OF NEVADA

Log No. 5298
 Rec. _____ 19____
 Well No. _____
 Permit No. _____
Do not fill in

Owner Irving Kline Driller Nevada Pump & Supply Co.

Address 1601 East Charleston, Las Vegas, Nev Address 412 S. 4th, Las Vegas, Nev Lic. No. 133

Location of well: SE 1/4 NW 1/4 Sec. 24, T21 N/S, R 61E, in Clark County
or _____

Water will be used for Domestic Total depth of well 130 feet

Size of drilled hole 10" Weight of casing per linear foot 6.8 lb.

Thickness of casing 12 ga. Temp. of water _____

Diameter and length of casing 6" x 130 feet
(Casing 12" in diameter and under give inside diameter; casing 12" in diameter give outside diameter.)

If flowing well give flow in c.f.s. or g.p.m. and pressure _____

If nonflowing well give depth of standing water from surface 26 feet

If flowing well describe control works _____
(Type and size of valve, etc.)

Date of commencement of well February 24, 1955 Date of completion of well February 25, 1955

Type of well rig Cable Tools

LOG OF FORMATIONS

From feet	To feet	Thickness feet	Type of material
0	5	5	Top Soil
5	14	9	Caliche
14	37	23	Yellow Clay
37	45	8	Sand Water
45	55	10	Sandstone
55	67	12	Sandy Clay Brown
67	90	23	Sticky Yellow Clay
90	114	24	Sandy Clay
114	127	13	Sand Gravel Water Bearing
127	130	3	Tough Brown Clay

Water-bearing Formation, Casing Perforations, Etc.

Chief aquifer (water-bearing formation)

from 114 to 127 ft.

Other aquifers 37 - 45

First water at 37 feet.

Casing perforated

from 110 to 130 ft.

Size of perforations

1/16" x 6"

