

Highway 91 3 mi. this side sloan station  
**WELL LOG AND REPORT TO THE STATE  
 ENGINEER OF NEVADA**

Log No. 53435  
 Rec.....19  
 Well No.....  
 Permit No.....  
 Do not fill in

Owner sautel Veterans association Driller BODGERS & SMITH  
 Address..... Address # 3200 Palomino Lic. No. 31  
 Location of well: W. 1/2 SW 1/4 Sec. 4, T. 23 N/S, R. 61 E, in Clark County  
 or.....  
 Water will be used for Domestic & commercial Total depth of well 300  
 Size of drilled hole 10 Weight of casing per linear foot 12  
 Thickness of casing 17/88 Temp. of water.....  
 Diameter and length of casing 10 8 ft. 10 in. casing  
 (Casing 12" in diameter and under give inside diameter; casing 12" in diameter give outside diameter.)  
 If flowing well give flow in c.f.s. or g.p.m. and pressure.....  
 If nonflowing well give depth of standing water from surface 240  
 If flowing well describe control works.....  
 (Type and size of valve, etc.)  
 Date of commencement of well July 18 Date of completion of well July 28 52  
 Type of well rig Spudder

**LOG OF FORMATIONS**

| From feet | To feet | Thickness feet | Type of material                                  |
|-----------|---------|----------------|---|
| q 00      | 6       | 6              | sand & Gravel                                     |
| 6         | 126     | 120            | Cement Gravel light & hard                        |
| 126       | 270     | 144            | Brown clay & gravel with hard layers 3to4 ft each |
| 270       | 275     | 5              | Loose gravel & sand Water                         |
| 275       | 300     | 25             | brown cement gravel M                             |

Water-bearing Formation, Casing Perforations, Etc.

Chief aquifer (water-bearing formation)

from 270 to 275 ft.

Other aquifers .....

First water at 270 feet.

Casing perforated

from 260 to 290 ft.

Size of perforations

1/8 x 3/4 in

