

WELL LOG AND REPORT TO THE STATE ENGINEER OF NEVADA

PLEASE COMPLETE THIS FORM IN ITS ENTIRETY

Log No. 53583
 Rec. _____ 19____
 Well No. _____
 Permit No. _____
Do not fill in

*Need
copy
Permit*

Owner Jake Garehime Driller S.R. McKinney and Sons, Inc.

Address 231 N. 10th Address 1042 Sol Main Lic. No. 45

Location of well: SE 1/4 NW 1/4 Sec. 11, T.20 N/S, R.60 E, in Clark County County

Water will be used for Domestic Total depth of well 300 feet

Size of drilled hole 12" reamed to 50 ft. 14" Weight of casing per linear foot 1/2" wall

Thickness of casing .250 wall Temp. of water _____

Diameter and length of casing 280' 10" and 25' 8" ID at bottom
(Casing 12" in diameter and under give inside diameter; casing 12" in diameter give outside diameter.)

If flowing well give flow in c.f.s. or g.p.m. and pressure _____

If nonflowing well give depth of standing water from surface 78 feet

If flowing well describe control works _____
(Type and size of valve, etc.)

Date of commencement of well 4/8/60 Date of completion of well 5/2/60

Type of well rig Bucyrus Erie 24L

LOG OF FORMATIONS

From feet	To feet	Thickness feet	Type of material
0	20	20	white cemented gravel & clay
20	30	10	gravel and clay
30	35	5	clay
35	45	10	gravel and clay
45	60	15	white cemented gravel
60	80	20	clay and gravel
80	100	20	white gravel and clay
100	105	5	gravel and water
105	135	30	red gravel and clay
135	160	25	gravel sand and clay
160	165	5	gravel sand and clay
165	200	35	clay and gravel
200	205	5	hard cemented gravel
205	210	5	clay, gravel and water
210	260	50	hard cemented gravel
260	280	20	hard cemente gravel & water
280	300	20	hard eemented gravel

Water-bearing Formation, Casing Perforations, Etc.

Chief aquifer (water-bearing formation) 200 300
 from _____ to _____ ft.

Other 100-105 _____

First water at 100 feet.

Casing perforated 100 300
 from 200 to 300 ft.
 100' 200' 280'
 8" 275' 300'
 Size of perforations
3/16" x 10"



