



Log No. 5400  
Permit No. 212  
Basin 212

PRINT OR TYPE ONLY  
DO NOT WRITE ON BACK

WELL DRILLER'S REPORT

Please complete this form in its entirety in accordance with NRS 534.170 and NAC 534.340

NOTICE OF INTENT NO. 16819

1. OWNER Sundt Corp. ADDRESS AT WELL LOCATION On Twp 7 N R 60 E Clark  
MAILING ADDRESS 2950 E Flaming W D Springwood  
12 NV  
2. LOCATION SW 1/4 - 1/4 Sec 18 T 21 N R 60 E Clark County  
PERMIT NO. DW 1060 Issued by Water Resources | 161-18-499-030 Parcel No. | Subdivision Name

3. WORK PERFORMED  
 New Well  Replace  Recondition  
 Deepen  Abandon  Other  
4. PROPOSED USE dewater  
 Domestic  Irrigation  Test  
 Municipal/Industrial  Monitor  Stock  
5. WELL TYPE  
 Cable  Rotary  RVC  
 Air  Other Bucket

6. LITHOLOGIC LOG

Material	Water Strata	From	To	Thick-ness
Asphalt		0	6"	6"
Fill		6"	3	2 1/2
Clay		3	16	13
Cateche gravel		16	19	3
Sand + gravel		19	21	2
Sandy clays		21	40	19

8. WELL CONSTRUCTION  
Depth Drilled 40 Feet Depth Cased 40 Feet  
HOLE DIAMETER (BIT SIZE)  
From 24 Inches To 40 Feet  
Inches Feet Feet  
Inches Feet Feet

CASING SCHEDULE

Size O.D. (Inches)	Weight/Ft. (Pounds)	Wall Thickness (Inches)	From (Feet)	To (Feet)
<u>8</u>	<u>PVC</u>	<u>Sch 40</u>	<u>0</u>	<u>40</u>

Perforations:  
Type perforation Slot  
Size perforation .003  
From 10 feet to 30 feet  
From \_\_\_\_\_ feet to \_\_\_\_\_ feet  
From \_\_\_\_\_ feet to \_\_\_\_\_ feet  
From \_\_\_\_\_ feet to \_\_\_\_\_ feet

Surface Seal:  Yes  No Seal Type:  
Depth of Seal \_\_\_\_\_  Neat Cement  
Placement Method:  Pumped  Cement Grout  
 Poured  Concrete Grout  
Gravel Packed:  Yes  No  
From 0 feet to 40 feet

9. WATER LEVEL  
Static water level 15 feet below land surface  
Artesian flow \_\_\_\_\_ G.P.M. \_\_\_\_\_ P.S.I.  
Water temperature 60 °F Quality Good

Date started 9-3, 1996  
Date completed 9-3, 1996

7. WELL TEST DATA

TEST METHOD:	TEST METHOD: <input type="checkbox"/> Bailer <input type="checkbox"/> Pump <input type="checkbox"/> Air Lift		
	G.P.M.	Draw Down (Feet Below Static)	Time (Hours)

10. DRILLER'S CERTIFICATION  
This well was drilled under my supervision and the report is true to the best of my knowledge.  
Name GDL Contractor  
Address 536 E Mitchell Contractor  
Ontario CA  
Nevada contractor's license number 0031246  
issued by the State Contractor's Board.  
Nevada driller's license number issued by the Division of Water Resources, the on-site driller 11-1968  
Signed [Signature]  
Date 9-15-96