

# WELL LOG AND REPORT TO THE STATE ENGINEER OF NEVADA

Log No. 54074  
 Rec. \_\_\_\_\_  
 Well No. \_\_\_\_\_  
 Permit No. 14470  
*Do not fill in*

*no copy to be*

Owner T. L. May Driller Jack Kennedy

Address P. O. Box 2062, Las Vegas Address \_\_\_\_\_ Lic. No. 17

Location of well: N 1/4 SW 1/4 Sec. 7, T. 20 N/S, R. 61 E, in See Map County \_\_\_\_\_

or \_\_\_\_\_

Water will be used for Domestic and irrigation Total depth of well 200' 0"

Size of drilled hole 14" Dia. Weight of casing per linear foot 42 lb.

Thickness of casing 5/16" Temp. of water \_\_\_\_\_

Diameter and length of casing 12" O.D. by 200' 0"  
(Casing 12" in diameter and under give inside diameter; casing 12" in diameter give outside diameter.)

If flowing well give flow in c.f.s. or g.p.m. and pressure \_\_\_\_\_

If nonflowing well give depth of standing water from surface 35' 0" *2/20/52 - 36.90 M.P. bar of*

If flowing well describe control works \_\_\_\_\_  
(Type and size of valve, etc.) *12" casing 1.2 above surface*

Date of commencement of well Nov., 1952 Date of completion of well not completed

Type of well rig Armstrong 50 W.

### LOG OF FORMATIONS

From feet	To feet	Thickness feet	Type of material	Water-bearing Formation, Casing Perforations, Etc.
0	5	5	Sand and Gip	
5	41	36	White Clay	Chief aquifer (water-bearing formation)
41	46	5	Water Sand	from <u>41' 0"</u> to <u>46' 0"</u> ft.
46	50	4	Hard Gip	
50	62	12	Gray Clay	
62	65	4	Water Sand	Other aquifers _____
66	80	14	Clay	<u>90' 0"</u> to <u>98' 0"</u>
80	90	10	Hard Gip	
90	98	8	Water Gravel	<u>190' 0"</u> to <u>196' 0"</u>
98	138	40	Water Gravel	
138	190	42	Water Gravel	
190	200	10	Clay	

  

First water at 45' 0" feet.

Casing perforated  
from \_\_\_\_\_ to \_\_\_\_\_ ft.

Size of perforations \_\_\_\_\_

