

WELL LOG AND REPORT TO THE STATE ENGINEER OF NEVADA

Log No. 54083
 Rec. _____ 19____
 Well No. _____
 Permit No. _____
Do not fill in



Owner M. I. Horzan Driller S. R. McKinney & Son
 Address 1219 Douglas Drive Las Vegas Address 1042 S. Main Las Vegas No. 45
 Location of well: NE 1/4 SW 1/4 Sec. 36, T. 20N/S, R. 60E, in Clark County
 or _____

Water will be used for Domestic Total depth of well 234 ft.

Size of drilled hole 12" to 40 ft., 8" to 234 Weight of casing per linear foot 28 lb.

Thickness of casing 5/16" Temp. of water _____

Diameter and length of casing 8" I. D. to 168 ft.
(Casing 12" in diameter and under give inside diameter; casing 12" in diameter give outside diameter.)

If flowing well give flow in c.f.s. or g.p.m. and pressure _____

If nonflowing well give depth of standing water from surface 120 ft.

If flowing well describe control works _____
(Type and size of valve, etc.)

Date of commencement of well Oct. 2, 1953 Date of completion of well Oct. 7, 1953

Type of well rig Bucyrus Erie 24 L, Spudder

LOG OF FORMATIONS

From feet	To feet	Thickness feet	Type of material
0	85	85	hardcaliche
85	155	70	gravelly red clay
155	163	8	gravel water
163	232	69	cemented gravel
232	234	2	gravel water

Water-bearing Formation, Casing Perforations, Etc.

Chief aquifer (water-bearing formation)

from 232 to 234 ft.

Other aquifers 155 to 163

First water at 155 feet

Casing perforated
 from 148 to 168 ft.

Size of perforations
3/16" X 10"



