

WELL LOG AND REPORT TO THE STATE ENGINEER OF NEVADA

Log No. 39854089
 Rec. 19
 Well No. 11772
 Permit No. 11772
Do not fill in

Owner Carlton Square Development Co. Driller Effinger Bros.

Address 419 South Fifth Street Address 212 Anderson Lane Lic. No. 105

Location of well: SW 1/4 SE 1/4 Sec. 8, T20 N/S, R61 E, in Clark County
 or 20421

Water will be used for Construction Total depth of well 160 feet

Size of drilled hole 6 Inch Weight of casing per linear foot _____

Thickness of casing _____ Temp. of water _____

Diameter and length of casing _____
(Casing 12" in diameter and under give inside diameter; casing 12" in diameter give outside diameter.)

If flowing well give flow in c.f.s. or g.p.m. and pressure _____

If nonflowing well give depth of standing water from surface 90 feet

If flowing well describe control works _____
(Type and size of valve, etc.)

Date of commencement of well February 17, 1955 Date of completion of well February 21, 1955

Type of well rig "71 Speed Star"

LOG OF FORMATIONS

From feet	To feet	Thickness feet	Type of material
0	12	12	Gyp
12	23	11	Yellow Clay
23	45	22	Gyp
45	58	13	Sand
58	80	22	Limestone
80	96	16	Yellow Clay
96	105	9	Limestone
105	118	13	Yellow Sandy Clay
118	123	5	Limestone & Sand (Water)
123	134	11	Yellow Sandy Clay
134	145	11	Limestone
145	152	7	Red Sticky Clay
152	160	8	Red Sand (Water)

Water-bearing Formation, Casing Perforations, Etc.

Chief aquifer (water-bearing formation)

from 152 to 160 ft.

Other aquifers _____

First water at 118 feet.

Casing perforated

from _____ to _____ ft.

Size of perforations _____

LOG OF FORMATIONS—Continued

From feet	To feet	Thickness	Type of material

CASING RECORD

Diam. casing	From feet	To feet	Length	"Remarks"—Seals, Grouting, Etc.

GENERAL INFORMATION—Pumping Test, Quality of Water, Etc.

WELL DRILLER'S STATEMENT

This well was drilled under my jurisdiction and the above information is true to my best information and belief.

Signed Effinger Bros.
Well Driller

By A. J. Effinger
License No. 705

Dated February 21, 19 55

(Not to be filled in by Driller)

05/13/2016 by DSB

