

WELL LOG AND REPORT TO THE STATE ENGINEER OF NEVADA

Log No. 54099
 Rec. 19
 Well No.
 Permit No.
Do not fill in



Owner Joyce Hendrix Driller Effinger Drill & Pump Serv.

Address 801 North H Street Address Box 589 Lic. No. 212
~~1001~~ SW NE 8 20 61 Clark

Location of well: $\frac{1}{4}$ Sec., T. N/S, R. E, in. County

or Domestic 160 feet

Water will be used for 10 inch Total depth of well 8.64

Size of drilled hole 10 Gauge Weight of casing per linear foot

Thickness of casing 6"OD 160 feet Temp. of water

Diameter and length of casing
 (Casing 12" in diameter and under give inside diameter; casing 12" in diameter give outside diameter.)

If flowing well give flow in c.f.s. or g.p.m. and pressure 89 feet from top of casing

If nonflowing well give depth of standing water from surface

If flowing well describe control works June 20, 1958 (Type and size of valve, etc.) June 28, 1958

Date of commencement of well "71 Speed Star" Date of completion of well

Type of well rig

LOG OF FORMATIONS

From ft	To ft	Thickness ft	Type of material	Water-bearing Formation, Casing Perforations, Etc.
95	119	24	Brown Clay & Broken Limestone	
119	130	11	Red Sand & Gravel (Water)	
130	145	15	Red Sticky Clay	
145	160	15	Limestone	
			Red Sand & Gravel (Water)	
				Chief aquifer (water-bearing formation) <u>145</u> <u>160</u>
				from <u>95-119</u> ft.
				Other aquifers
				First water at <u>95</u> feet.
				Casing perforations <u>160</u>
				from to ft.
				<u>15"</u> size of perforations

