


# WELL LOG AND REPORT TO THE STATE ENGINEER OF NEVADA

Log No. **54120**  
 Rec. \_\_\_\_\_ 19\_\_\_\_  
 Well No. \_\_\_\_\_  
 Permit No. \_\_\_\_\_  
*Do not file*



Owner B M Jones Driller Am Gullard  
 Address Stewart St Address Rt #1 Box 165 - Clark Lic. No. 115  
 Location of well: NE 1/4 NE 1/4 Sec. 13., T20N/S, R. 61E, in Clark County  
 or No. 10 S. 1/2 Sec. 13. - 1/2 Mile West of B-Box B. Clark  
 Water will be used for Domestic Total depth of well 110  
 Size of drilled hole 10" Weight of casing per linear foot 16 lbs  
 Thickness of casing 3/8" Temp. of water \_\_\_\_\_  
 Diameter and length of casing 10" 80 ft  
(Casing 12" in diameter and under give inside diameter; casing 12" in diameter give outside diameter.)  
 If flowing well give flow in c.f.s. or g.p.m. and pressure \_\_\_\_\_  
 If nonflowing well give depth of standing water from surface 3 ft  
 If flowing well describe control works \_\_\_\_\_  
(Type and size of valve, etc.)  
 Date of commencement of well Sept 1953 Date of completion of well Sept 17<sup>th</sup> 1953  
 Type of well rig Jack with Spudder Model L

### LOG OF FORMATIONS

From feet	To feet	Thickness feet	Type of material	Water-bearing Formation, Casing Perforations, Etc.
0	15	15	Gravel & Clay	
15	40	25	Red Clay	Chief aquifer (water-bearing formation)
40	43	3	Gravel & Sand <sup>1st</sup> Water	from <u>100</u> to <u>110</u> ft.
43	100	57	Yellow Clay	Other aquifers _____
100	110	10	Gravel & Sand Willis	_____
				First water at <u>43</u> feet.
				Casing perforated
				from _____ to _____ ft.
				Size of perforations _____

