

WELL LOG AND REPORT TO THE STATE ENGINEER OF NEVADA



Log No. 54168
 Rec. _____ 19____
 Well No. _____
 Permit No. _____

Owner Janet H. White Driller H. H. Smith

Address 1/2 1000 Fremont St. Las Vegas Nevada Address 1819 DeCatur Lane Lic. No. 86

Location of well: $\frac{1}{4}$ Sec. _____, T. _____ N/S, R. _____ E, in Clark County

or SW 1/4 NW 1/4 SW 1/4 SE 1/4 Sec. 36 - T. 20 S. R. 60 E. M. D. M.

Water will be used for Domestic Total depth of well 150'

Size of drilled hole 10" to 90' & 8" to 150' Weight of casing per linear foot _____

Thickness of casing 10 Buage Temp. of water _____

Diameter and length of casing 8" to 90' & 6" from 95' to 150'
(Casing 12" in diameter and under give inside diameter; casing 12" in diameter give outside diameter.)

If flowing well give flow in c.f.s. or g.p.m. and pressure _____

If nonflowing well give depth of standing water from surface 50'

If flowing well describe control works _____
(Type and size of valve, etc.)

Date of commencement of well 6/25/55 Date of completion of well 7/1/55

Type of well rig Spudder

LOG OF FORMATIONS

From feet	To feet	Thickness feet	Type of material
0'	3'	3'	Surface dirt
3'	8'	5'	Caliche
8'	60'	52'	Water Sand & Caliche
60'			1st Water
60'	90'	30'	SAND
90'	150'	60'	Brown Clay
150'			Water Bore

Water-bearing Formation, Casing Perforations, Etc.

Chief aquifer (water-bearing formation)
 from 60' to 80' ft.

Other aquifers _____

First water at 60' feet.

Casing perforated
 from 70' to 90' ft.

Size of perforations
1/4" x 12"



