

WELL LOG AND REPORT TO THE STATE ENGINEER OF NEVADA

Log No. 54199
 Rec. 19
 Well No. _____
 Permit No. _____
Do not fill in

Owner Herman Pinto Taylor? Driller S. R. McKinney & Son
 Address 1636 E. Charleston, Las Vegas Nev. Address 1042 S. Main Las Vegas No. 45
 Location of well: SE 1/4 SE 1/4 Sec. 20, T. 20N/S, R. 61E, in Clark County
 or 150 & Tenopah Drive
 Water will be used for Domestic Total depth of well 140 ft.
 Size of drilled hole 10" to 50 ft. 8" to 140 Weight of casing per linear foot 28 lb.
 Thickness of casing 5/16" Temp. of water _____
 Diameter and length of casing 8" I.D. to 88 ft.
(Casing 12" in diameter and under give inside diameter; casing 12" in diameter give outside diameter.)
 If flowing well give flow in c.f.s. or g.p.m. and pressure _____
 If nonflowing well give depth of standing water from surface Surface
 If flowing well describe control works _____
(Type and size of valve, etc.)
 Date of commencement of well March 25, 1953 ~~XXXXXX~~ Date of completion of well March 27, 1953
 Type of well rig 72 Speed Star Spudder

LOG OF FORMATIONS

From feet	To feet	Thickness feet	Type of material
0	8	8	Surface
8	10	2	gyp
10	18	8	clay
18	21	3	caliche Water
21	65	44	sandy clay
65	86	21	grey sand water
86	110	24	brown sandy clay
110	112	2	gyp rock water
112	115	3	grey sand
115	118	3	gyp rock
118	120	2	grey sand water
120	130	10	brown sandy clay
130	140	10	sand and gravel Water

Water-bearing Formation, Casing Perforations, Etc.

Chief aquifer (water-bearing formation)

from 130 to 140 ft.

Other aquifers 118 to 120
110 to 112
65 to 86

First water at 18 feet.

Casing perforated

None

from _____ to _____ ft.

Size of perforations
