

WELL LOG AND REPORT TO THE STATE
ENGINEER OF NEVADA

PLEASE COMPLETE THIS FORM IN ITS ENTIRETY

Log No. 54321
 Rec. 19
 Well No. _____
 Permit No. _____
Do not fill in

Owner Floyd C. & Francetta Bishop Driller Effinger Drilling & Pump

Address 2700 East Bonanza Road Address Box 579 City _____ Lic. No. 212

Location of well: SW 1/4 SW 1/4 Sec. 25, T20 N/S, R61 E, in Clark County

or 2700 East Bonanza Road

Water will be used for Domestic Total depth of well 100 feet

Size of drilled hole 12 inch Weight of casing per linear foot .1414

Thickness of casing .156 Temp. of water _____

Diameter and length of casing 8" ID 100 feet
 (Casing 12" in diameter and under give inside diameter; casing 12" in diameter give outside diameter.)

If flowing well give flow in c.f.s. or g.p.m. and pressure _____

If nonflowing well give depth of standing water from surface 22 ft.

If flowing well describe control works _____
 (Type and size of valve, etc.)

Date of commencement of well July 4, 1962 Date of completion of well July 5, 1962

Type of well rig "72 Speedstar"

LOG OF FORMATIONS

From feet	To feet	Thickness feet	Type of material
0	10	10	Sand & Gravel
10	25	15	Red Hard Clay
25	50	25	Red Clay
50	55	5	Sandstone
55	65	10	Gravel (Water)
65	80	15	Red Clay
80	85	5	Gravel (Water)
85	100	15	Soft Red Clay

Water-bearing Formation, Casing Perforations, Etc.

Chief aquifer (water-bearing formation)

from 55 to 65 ft.

Other aquifers 80-85

First water at 55 feet.

Casing perforated from 60 to 95 ft.

Size of perforations 1/8" X 15" Torch



