

WELL LOG AND REPORT TO THE STATE ENGINEER OF NEVADA

Log No. 5437
 Rec. 7/12 1954
 Well No. _____
 Permit No. Don.
Do not fill in.

Owner E. A. Jurad Driller Effinger Bros.

Address 2530 Valley Street Address 212 Anderson Lane Lic. No. 105

Location of well: $\frac{1}{4}$ Sec. 36, T. 20 N/S, R. 1 E, in Clark County
 or 2530 Valley Street Sunrise Acres

Water will be used for Domestic Total depth of well 100 feet

Size of drilled hole 10 Inch Weight of casing per linear foot 9.4 lbs.

Thickness of casing 9 Guage Temp. of water _____

Diameter and length of casing 6" ID 100 feet
(Casing 12" in diameter and under give inside diameter; casing 12" in diameter give outside diameter.)

If flowing well give flow in c.f.s. or g.p.m. and pressure _____

If nonflowing well give depth of standing water from surface 13'9" from top of casing

If flowing well describe control works _____
(Type and size of valve, etc.)

Date of commencement of well July 5, 1954 Date of completion of well July 7, 1954

Type of well rig "71 Speed Star"

LOG OF FORMATIONS

From feet	To feet	Thickness feet	Type of material
0	8	8	White Sandy Clay
8	22	14	Gravel (Water)
22	25	3	Yellow clay
25	38	13	Gravel
38	72	34	White Sand
72	79	7	Yellow Sand
79	84	5	Gravel
84	89	5	Yellow Sticky Clay
89	100	11	Gravel (Water)

Water-bearing Formation, Casing Perforations, Etc.

Chief aquifer (water-bearing formation)
 from 89 to 100 ft.

Other aquifers 8-22

First water at 8 feet.

Casing perforated
 from 40 to 100 ft.

Size of perforations
1/8" X 12"

