


# WELL LOG AND REPORT TO THE STATE ENGINEER OF NEVADA

*Same Roy Sparks 60' well 1949*

Log No. <u>54521</u>	
Rec. ....	
Well No. ....	
Permit No. ....	
<i>Do not fill in</i>	

Owner Robert Arnesan Driller Louis F. Evans

Address 4101 East College Ave. Las Vegas Address 2020 Carroll N. Las Vegas Lic. No. 117

Location of well: N. 1/4, SE 1/4 Sec. 19, T20 N/S, R. 62E, in Clark County  
or .....

Water will be used for Domestic Total depth of well 100 ft.

Size of drilled hole 50' 12" 50' 10" Weight of casing per linear foot 11 lbs.

Thickness of casing 10 gauge Temp. of water .....

Diameter and length of casing 8" o.d. casing 100 ft.  
(Casing 12" in diameter and under give inside diameter; casing 12" in diameter give outside diameter.)

If flowing well give flow in c.f.s. or g.p.m. and pressure .....

If nonflowing well give depth of standing water from surface 40 ft.

If flowing well describe control works .....

(Type and size of valve, etc.)

Date of commencement of well July 18, 1957 Date of completion of well July 23, 1957

Type of well rig Armstrong

### LOG OF FORMATIONS

From feet	To feet	Thickness feet	Type of material
0	18	18	gravel
18	22	4	gravel & clay
22	28	6	gravel
28	34	6	gray clay
34	42	8	gravel & clay
42	76	34	sandy clay (water)
76	100	24	gray clay & gravel (water)

Water-bearing Formation, Casing Perforations, Etc.

Chief aquifer (water-bearing formation)

from 76 to 100 ft.

Other aquifers 42 to 76

First water at 42 feet.

Casing perforated

from 50 to 100 ft.

Size of perforations

1/4" wide 6" long

AUG 27 1957

RECEIVED

ANS.



