

WELL LOG AND REPORT TO THE STATE ENGINEER OF NEVADA

Log No. 54528
 Rec. 19
 Well No. _____
 Permit No. _____
Do not fill in

Owner O.D. Bell Driller S. R. McKinney & Son
 Address 2171 North Walnut, Las Vegas Address 1042 S. Main Las Vegas Lic. No. 45
 Location of well: SE1/4 NW1/4 Sec. 19, T. 20N/S, R. 62E, in Clark County
 or _____
 Water will be used for Domestic Total depth of well 120 ft.
 Size of drilled hole 12" to 55 ft., 10" to 120 Weight of casing per linear foot 10 gauge
 Thickness of casing 10 gauge Temp. of water _____
 Diameter and length of casing 8" I.D. to 120 ft
(Casing 12" in diameter and under give inside diameter; casing 12" in diameter give outside diameter.)
 If flowing well give flow in c.f.s. or g.p.m. and pressure _____
 If nonflowing well give depth of standing water from surface 39 ft.
 If flowing well describe control works _____
(Type and size of valve, etc.)
 Date of commencement of well May 29, 1956 Date of completion of well May 31, 1956
 Type of well rig Bucyrus Erie 24 L, Spudder

LOG OF FORMATIONS

From feet	To feet	Thickness feet	Type of material
0	6	6	top soil
6	20	14	white clay with gravel
20	26	6	white sandy clay, smells.
26	45	19	white clay
45	47	2	brown sand water
47	68	21	brown clay
68	90	22	white clay
90	95	5	brown sand water
95	108	13	brown clay
108	120	12	brown sand water

Water-bearing Formation, Casing Perforations, Etc.

Chief aquifer (water-bearing formation)
 from 108 to 120 ft.
 Other aquifers 90 to 95

First water at 45 feet.

Casing perforated
 from 70 to 120 ft.

Size of perforations
3/16" X 10"



