

WELL LOG AND REPORT TO THE STATE ENGINEER OF NEVADA

PLEASE COMPLETE THIS FORM IN ITS ENTIRETY

Log No. 54791
 Rec. 19
 Well No.
 Permit No.
Do not fill in

Owner Jack & Louise Thomas Driller Effinger Drill & Pump Serv

Address 712 Owens Space #71 Address Box 579 City Lic. No. 212

Location of Well: SW 1/4 NW 1/4 Sec. 36 T. 21 N/S, R. 60 E, in Clark County

Water will be used for Domestic Total depth of well 250 feet

Size of drilled hole 16 inch Weight of casing per linear foot .1414

Thickness of casing .188 Temp. of water

Diameter and length of casing 8" ID 250 feet
(Casing 12" in diameter and under give inside diameter; casing 12" in diameter give outside diameter.)

If flowing well give flow in c.f.s. or g.p.m. and pressure

If nonflowing well give depth of standing water from surface 177'

If flowing well describe control works
(Type and size of valve, etc.)

Date of commencement of well May 14, 1962 Date of completion of well June 5, 1962

Type of well rig "71 Speedstar"

LOG OF FORMATIONS

From feet	To feet	Thickness feet	Type of material	Water-bearing Formation, Casing Perforations, Etc.
0	250	250	Conglomerate Sand, Gravel Rocks. (Water (190-250))	Chief aquifer (water-bearing formation) from <u>190</u> to <u>250</u> ft. Other aquifers <u> </u> First water at <u>190</u> feet. Casing perforated from <u>200</u> to <u>250</u> ft. Size of perforations <u>1/8" X 15" Tor</u>

LOG OF FORMATIONS—Continued

From feet	To feet	Thickness	Type of material
7	20		

CASING RECORD

Diam. casing	From feet	To feet	Length	Remarks—Seals, Grouting, Etc.
8" ID	0	250	250	Cemented from 0 to 50 feet 3 yards of cement Graveled packed from 50 to 250 feet 8 yards of pea gravel

GENERAL INFORMATION—Pumping Test, Quality of Water, Etc.

WELL DRILLER'S STATEMENT

This well was drilled under my jurisdiction and the above information is true to my best information and belief.

Signed Effinger Drill & Pump
Wall Driller

By [Signature]

License No. 212

Dated June 5, 19 62

(Not to be filled in by Driller)
