

# WELL LOG AND REPORT TO THE STATE ENGINEER OF NEVADA

PLEASE COMPLETE THIS FORM IN ITS ENTIRETY

55170

Log No. \_\_\_\_\_  
 Recd. \_\_\_\_\_ 19\_\_\_\_  
 Well No. \_\_\_\_\_  
 Permit No. \_\_\_\_\_  
*Do not fill in*

Owner GEORGE GARROW JR. Driller LOUIS F. EVANS

Address 1848 GATEWAY LAS VEGAS NEVADA Address 2020 CARROLL N. LAS VEGAS Lic. No. 117

Location of well: NW 1/4 SW 1/4 Sec. 19., T20. N/S, R. 62 E, in Clark County  
 or 1848 Gateway Las Vegas Nevada

Water will be used for DOMESTIC Total depth of well 188 ft.

Size of drilled hole 50' 12" 138' 10" Weight of casing per linear foot 12.50 Lbs.

Thickness of casing 10 GA. Temp. of water \_\_\_\_\_

Diameter and length of casing 8 5/8" O.D. 188'  
(Casing 12" in diameter and under give inside diameter; casing 12" in diameter give outside diameter.)

If flowing well give flow in c.f.s. or g.p.m. and pressure \_\_\_\_\_

If nonflowing well give depth of standing water from surface 48 ft.

If flowing well describe control works \_\_\_\_\_  
(Type and size of valve, etc.)

Date of commencement of well Oct. 24, 1962 Date of completion of well Oct. 30, 1962

Type of well rig KEYSTONE CABLE TOOL

### LOG OF FORMATIONS

From feet	To feet	Thickness feet	Type of material
0	14	14	silt
14	18	4	gbavel
18	46	28	brown clay
46	76	30	gray clay & gravel (water)
76	92	16	gray sandy clay
92	114	22	gray clay & gravel (water)
114	119	5	sand
119	188	69	brown sandy clay

Water-bearing Formation, Casing Perforations, Etc.

Chief aquifer (water-bearing formation)

from 119 to 188 ft.

Other aquifers 65 to 76

92 to 114

First water at 65 feet.

Casing perforated from 60 to 188 ft.

Size of perforations

1/4" wide 6" long



