

WELL LOG AND REPORT TO THE STATE ENGINEER OF NEVADA

Log No. 55243
 Rec. 19...
 Well No.
 Permit No.
Do not fill in

Owner Harmon Coleman Luttrell Driller Effinger Bros.
 Address 1522 Hastings Street Address 212 Anderson Lane Lic. No. 105
 Location of well: 1/4 Sec., T. N/S, R. E, in Clark County
 or NW 1/4 NW 1/4 SE 1/4 Section 1 T 21S R 60E
 Water will be used for Domestic Total depth of well 210 feet
 Size of drilled hole 12 Inch Weight of casing per linear foot 12.06 lbs.
 Thickness of casing 10 Gauge Temp. of water
 Diameter and length of casing 8 5/8" OD 160 feet 6 5/8" OD 60 feet
 (Casing 12" in diameter and under give inside diameter; casing 12" in diameter give outside diameter.)
 If flowing well give flow in c.f.s. or g.p.m. and pressure
 If nonflowing well give depth of standing water from surface 115' from top of casing
 If flowing well describe control works
 (Type and size of valve, etc.)
 Date of commencement of well December 15, 1954 Date of completion of well December 18, 1954
 Type of well rig "71 Speed Star"

LOG OF FORMATIONS

From feet	To feet	Thickness feet	Type of material	Water-bearing Formation, Casing Perforations, Etc.
0	11	11	Limestone	
11	26	15	Gravel	
26	38	12	Limestone	
38	49	11	Cement Gravel	
49	52	3	White Clay	
52	59	7	Cement Gravel	
59	76	17	Yellow Clay	
76	81	5	Limestone	
81	97	16	Yellow Sandy Clay	
97	103	6	Limestone	
103	118	15	White Clay	
118	127	9	Cement Gravel	
127	133	6	Gravel (Water)	
133	158	25	Sand	
158	210	52	Gravel (Water)	
				Chief aquifer (water-bearing formation) from <u>158</u> to <u>210</u> ft.
				Other aquifers <u>127-133</u>
				First water at <u>127</u> feet.
				Casing perforated from <u>160</u> to <u>210</u> ft.
				Size of perforations <u>1/8" X 12"</u>



