

WELL LOG AND REPORT TO THE STATE ENGINEER OF NEVADA

Log No. 55250
 Rec. _____
 Well No. _____
 Permit No. _____



Do not fill in

Owner Stearns Roger Mfg. Co. Driller S. R. McKinney & Son

Address 660 Bannock St. Denver, Colorado Address 1042 S. Main Las Vegas Lic. No. 45

Location of well: 1/4 NW 1/4 Sec. 4., T21 N/S, R60 E, in Clark County

or _____

Water will be used for Electrical Ground hole Total depth of well 530 ft.

Size of drilled hole 6" Weight of casing per linear foot None

Thickness of casing _____ Temp. of water _____

Diameter and length of casing _____
(Casing 12" in diameter and under give inside diameter; casing 12" in diameter give outside diameter.)

If flowing well give flow in c.f.s. or g.p.m. and pressure _____

If nonflowing well give depth of standing water from surface 485 ft.

If flowing well describe control works _____
(Type and size of valve, etc.)

Date of commencement of well Oct. 6, 1956 Date of completion of well Oct. 25, 1956

Type of well rig Bucyrus Erie 24 L, Spudder

LOG OF FORMATIONS

From feet	To feet	Thickness feet	Type of material
0	504	504	Hard cemented gravel
504	505	1	clay, little water
505	516	11	cemented gravel
516	518	2	sandy clay, water
518	530	12	cemented gravel

Water-bearing Formation, Casing Perforations, Etc.

Chief aquifer (water-bearing formation)
 from 516 to 518 ft.

Other aquifers 504 to 505

First water at 505 feet.

Casing perforated
 from _____ to _____ ft.

Size of perforations _____

