

WELL LOG AND REPORT TO THE STATE ENGINEER OF NEVADA

Log No. 55425
 Rec. 19
 Well No. _____
 Permit No. _____
Do not fill in

Owner Joseph W. White Driller Nevada Pump & Supply Co.

Address 3707 Westleigh Dr., Las Vegas, Nev Address Las Vegas, Nevada Lic. No. 133

Location of well: NE 1/4 SW 1/4 Sec. 11., T. 21 N/S, R. 60 E, in Clark County
or _____

Water will be used for Domestic Total depth of well 210 feet

Size of drilled hole 12" Weight of casing per linear foot 12 lbs.

Thickness of casing 10 gauge Temp. of water _____

Diameter and length of casing 8" x 210'
(Casing 12" in diameter and under give inside diameter; casing 12" in diameter give outside diameter.)

If flowing well give flow in c.f.s. or g.p.m. and pressure _____

If nonflowing well give depth of standing water from surface? 182 feet

If flowing well describe control works _____
(Type and size of valve, etc.)

Date of commencement of well April 6, 1955 Date of completion of well April 9, 1955

Type of well rig Cable Tools

LOG OF FORMATIONS

From feet	To feet	Thickness feet	Type of material
0	2	2	Top Soil
2	60	58	Fine cemented gravel
60	68	8	Hard Shale & Cobbles
68	77	9	Soft sandy fine conglomerate
77	85	8	Cemented gravel & Boulders
85	125	40	Cemented gravel
125	190	65	Cemented Gravel-Some Clay
190	210	20	Sandy Clay & Gravel

Water-bearing Formation, Casing Perforations, Etc.

Chief aquifer (water-bearing formation)
from 205 to 208 ft.

Other aquifers _____

First water at 90 feet.

Casing perforated
from 180 to 210 ft.

Size of perforations
1/16" x 6"

