

WELL LOG AND REPORT TO THE STATE ENGINEER OF NEVADA



Log No. 5546A
 Rec. _____ 19____
 Well No. _____
 Permit No. _____
 Do not fill in

Owner Edgar K. L. Tener Driller EFFIE'S PROS.

Address 2420 Hobart Street NV Address 1001 Antelope Way Lic. No. 212

Location of well: $\frac{1}{4}$ Sec. _____, T. _____ N/S, R. _____ E, in _____ County
 or INDIAN SPRING Section 19 T20S R62E

Water will be used for Domestic Total depth of well 130 feet

Size of drilled hole 10 Inch Weight of casing per linear foot 6.9 lbs.

Thickness of casing 10 Gauge Temp. of water _____

Diameter and length of casing 6"OD 130 feet
(Casing 12" in diameter and under give inside diameter; casing 12" in diameter give outside diameter.)

If flowing well give flow in c.f.s. or g.p.m. and pressure _____

If nonflowing well give depth of standing water from surface 38' from top of casing

If flowing well describe control works _____
(Type and size of valve, etc.)

Date of commencement of well August 8, 1955 Date of completion of well August 9, 1955

Type of well rig "710 Good Star"

LOG OF FORMATIONS

From feet	To feet	Thickness feet	Type of material
0	42	42	Yellow Clay
42	63	26	Soft Limestone (Water)
63	92	24	Red Clay
92	100	8	Limestone (Water)
100	113	13	Yellow Clay
113	119	6	Limestone (Water)
119	130	11	Yellow Clay

Water-bearing Formation, Casing Perforations, Etc.

Chief aquifer (water-bearing formation)
 from 113 to 119 ft.

Other aquifers 92-100
42-68

42

First water at _____ feet.

Casing perforated
 from 50 to 130 ft.

Size of perforations
1/8" x 12"



