

WELL LOG AND REPORT TO THE STATE ENGINEER OF NEVADA

PLEASE COMPLETE THIS FORM IN ITS ENTIRETY

Log No. **55531**
 Rec. 19
 Well No. _____
 Permit No. **43746**
Do not fill in

Owner Jack & Harriett Rosenquist Driller Effinger Drilling & Pump

Address 5375 West Eldora Address Box 579 City _____ Lic. No. 212

Location of well: SW 1/4 NE 1/4 Sec. 12., T. 21N/S, R. 60E, in Clark County

WELL ADDRESS 5375 West Eldora PARCEL # 163-12-601-003

Water will be used for Domestic Total depth of well 300 feet

Size of drilled hole 12 inch Weight of casing per linear foot 12.15

Thickness of casing 10 gauge Temp. of water _____

Diameter and length of casing 8" ID 300 feet
(Casing 12" in diameter and under give inside diameter; casing 12" in diameter give outside diameter.)

If flowing well give flow in c.f.s. or g.p.m. and pressure _____

If nonflowing well give depth of standing water from surface 174'

If flowing well describe control works _____
(Type and size of valve, etc.)

Date of commencement of well April 24, 1968 Date of completion of well May 18, 1968

Type of well rig "72 Speedstar"

LOG OF FORMATIONS

From feet	To feet	Thickness feet	Type of material
0	1	1	Sand
1	3	2	Limestone
3	30	27	Sandy Clay & Gravel
30	35	5	Limestone
35	49	14	Sandy Clay & Gravel
49	51	2	Cement Gravel
51	64	13	Clay
64	66	2	Cement Gravel
66	105	39	Clay & Gravel
105	135	30	Sandy Clay
135	138	3	Gravel
138	142	4	Clay
142	150	8	Gravel (Water)
150	160	10	Cement Gravel
160	164	4	Sandstone
164	192	28	Sand
192	205	13	Sand & Gravel (Water)
205	215	10	Gravel (Water)
215	300	85	Gravel & sand (Water)

Water-bearing Formation, Casing Perforations, Etc.

Chief aquifer (water-bearing formation)

from 192 to 300 ft.

Other aquifers _____

First water at 142 feet.

Casing perforated from 220 to 295 ft.

Size of perforations 1/82 x 12" Torch

RECEIVED

MAY 21 1968
 DIV. OF WATER RESOURCES
 BRANCH OFFICE
 LAS VEGAS, NEVADA

(OVER)

