

WELL LOG AND REPORT TO THE STATE ENGINEER OF NEVADA

65573
 Log No. _____
 Rec. _____ 19____
 Well No. _____
 Permit No. _____
Do not fill in

Owner James Du Van Driller S. R. McKinney & Son

Address Box 424, Las Vegas, Nevada Address 1042 S. Main Las Vegas No. 45

Location of well: SW 1/4 NW 1/4 Sec. 20, T.20 N/S, R.62 E, in Clark County

or _____

Water will be used for Domestic Total depth of well 100 ft.

Size of drilled hole 12" to 50 ft. 10" to 100 Weight of casing per linear foot 10 guage

Thickness of casing 10 guage Temp. of water _____

Diameter and length of casing 8" I.D. to 100 ft.
 (Casing 12" in diameter and under give inside diameter; casing 12" in diameter give outside diameter.)

If flowing well give flow in c.f.s. or g.p.m. and pressure _____

If nonflowing well give depth of standing water from surface 40 ft.

If flowing well describe control works _____
 (Type and size of valve, etc.)

Date of commencement of well March 23, 1955 Date of completion of well March 24, 1955

Type of well rig Bucyrus Erie 24L Spudder

LOG OF FORMATIONS

| From feet | To feet | Thickness feet | Type of material |
|-----------|---------|----------------|------------------|
| 0 | 42 | 42 | brown sandy clay |
| 42 | 46 | 4 | red sand water |
| 46 | 52 | 6 | red clay |
| 52 | 56 | 4 | brown sand water |
| 56 | 64 | 8 | brown clay |
| 64 | 68 | 4 | brown sand water |
| 68 | 82 | 4 | brown clay |
| 82 | 100 | 18 | brown sand water |

Water-bearing Formation, Casing Perforations, Etc.

Chief aquifer (water-bearing formation)

from 82 to 100 ft.

Other aquifers 64 to 88

52 to 56

First water at 42 feet.

Casing perforated

from 60 to 100 ft.

Size of perforations

3/16" X 10"



