


WELL LOG AND REPORT TO THE STATE ENGINEER OF NEVADA

Log No. 55635
 Rec. No. _____ 19____
 Well No. _____
 Permit No. _____
Do not fill in



Owner Betty K. Evans Driller S. R. McKinney & Son

Address General Delivery, N. Las Vegas, Nevada Address 1042 S. Main, Las Vegas Bldg. No. 45

Location of well: SW 1/4 SE 1/4 Sec. 20, T. 20 N/S, R. 62 E, in Clark County
 or Lot 23, Block 2, Stewart Holt Tract.

Water will be used for D. & I. Total depth of well 80 ft.

Size of drilled hole 10" to 38 ft. 8" to 80 ft. Weight of casing per linear foot 28 lb.

Thickness of casing 1/4" Temp. of water _____

Diameter and length of casing 8" I.D. to 40 ft.
 (Casing 12" in diameter and under give inside diameter; casing 12" in diameter give outside diameter.)

If flowing well give flow in c.f.s. or g.p.m. and pressure _____

If nonflowing well give depth of standing water from surface 36 ft.

If flowing well describe control works _____
 (Type and size of valve, etc.)

Date of commencement of well Feb. 27, 1952 Date of completion of well Feb. 27, 1952

Type of well rig Pucyrus Erie, 24L, Spudder

LOG OF FORMATIONS

From feet	To feet	Thickness feet	Type of material
0	10	10	Top Soil
10	45	35	Brown clay, Water at 45 ft.
45	65	20	White clay
65	80	15	Red sandy clay, water

Water-bearing Formation, Casing Perforations, Etc.

Chief aquifer (water-bearing formation)

from 65 to 85 ft.

Other aquifers 44 to 45

First water at 44 feet.

Casing perforated

from _____ to _____ ft.

Size of perforations _____



