

# WELL LOG AND REPORT TO THE STATE ENGINEER OF NEVADA

Log No. 55682  
 Rec. \_\_\_\_\_  
 Well No. \_\_\_\_\_  
 Permit No. \_\_\_\_\_  
*Do not fill in*

Owner Alton R. Franklin Driller W. J. Mason  
3625 North Main Street 1727 Santa Paula Drive  
 Address North Las Vegas, Nevada Address Las Vegas, Nevada Lic. No. 195

Location of well:  $\frac{1}{4}$  Sec. 14, T. N/S, R. E, in Clark County  
 or W $\frac{1}{2}$ S $\frac{1}{2}$ S $\frac{1}{2}$ SW $\frac{1}{2}$  Section 13, Twp. 21 South Range 61 E. M. D. M.

Water will be used for Domestic Total depth of well 125 ft.  
 Size of drilled hole 12 $\frac{1}{2}$  Weight of casing per linear foot 10 gauge  
 Thickness of casing 10 gauge Temp. of water 76 deg.  
 Diameter and length of casing 8 inch 125 feet  
 (Casing 12" in diameter and under give inside diameter; casing 12" in diameter give outside diameter.)

If flowing well give flow in c.f.s. or g.p.m. and pressure \_\_\_\_\_  
 If nonflowing well give depth of standing water from surface 17 feet  
 If flowing well describe control works \_\_\_\_\_  
 (Type and size of valve, etc.) \_\_\_\_\_

Date of commencement of well Nov. 1st, 1955 Date of completion of well Nov. 3rd, 1955  
 Type of well rig Rotary

### LOG OF FORMATIONS

From feet	To feet	Thickness feet	Type of material
0	8	8	Sand & silt
8	38	30	Caliche & cemented gravel
38	75	37	Sand, clay & small gravel
75	125	50	Sand & gravel

Water-bearing Formation, Casing Perforations, Etc.

Chief aquifer (water-bearing formation)

from 80 to 125 ft.

Other aquifers \_\_\_\_\_

First water at 80 feet.

Casing perforated

from 80 to 125 ft.

Size of perforations

1/8 inch

