

WELL LOG AND REPORT TO THE STATE ENGINEER OF NEVADA

Log No. 55713
 Rec. _____ 19____
 Well No. _____
 Permit No. _____
Do not fill in

Owner Peterson Driller S. R. McKinney & Son

Address Desert Auto court Address 1042 S. Main Las Vegas No. 45

Location of well: SW 1/4 SW 1/4 Sec. 13 T. 21N/S, R61 E, in Clark County
 or _____

Water will be used for Domestic Total depth of well 170 ft.

Size of drilled hole 12" to 75 ft., 8" to 170 Weight of casing per linear foot 28 lb.

Thickness of casing 5/16" Temp. of water _____

Diameter and length of casing 8" I.D. to 80 ft.
(Casing 12" in diameter and under give inside diameter; casing 12" in diameter give outside diameter.)

If flowing well give flow in c.f.s. or g.p.m. and pressure 10 G.P.M.

If nonflowing well give depth of standing water from surface _____

If flowing well describe control works capped
(Type and size of valve, etc.)

Date of commencement of well Feb. 5, 1953 Date of completion of well Feb. 7, 1953

Type of well rig Bucyrus Erie 24 1/2 Spudder

LOG OF FORMATIONS

From feet	To feet	Thickness feet	Type of material
0	2	2	Sand & Gravel
2	5	3	Rotten Gyp
5	25	20	Red sandy clay
25	52	27	Red clay
52	54	2	Red sand Water
54	75	21	Red sandy clay
75	105	30	Red clay
105	108	3	Lime rock
108	163	55	Red sandy clay
163	170	7	Red sandstone, Water

Water-bearing Formation, Casing Perforations, Etc.

Chief aquifer (water-bearing formation)

from 163 to 170 ft.

Other aquifers _____

First water at 52 ft. feet.

Casing perforated

from _____ to _____ ft.

Size of perforations _____

