

# WELL LOG AND REPORT TO THE STATE ENGINEER OF NEVADA

Log No. 55724  
 Rec. \_\_\_\_\_  
 Well No. \_\_\_\_\_  
 Permit No. \_\_\_\_\_  
*Do not fill in*

Owner Don Sherman Driller S. R. McKinney & Son  
 Address 515 1/2 Ogdon Address 1042 S. Main Las Vegas No. 45  
 Location of well: N.W. 1/4 NE 1/4 Sec. 13., T. 21 N/S, R. 6 E, in Clark County \_\_\_\_\_  
 or \_\_\_\_\_  
 Water will be used for Domestic Total depth of well 180  
 Size of drilled hole 10" to 62 ft. 8" to 180 Weight of casing per linear foot 28 lb/  
 Thickness of casing 1/4" Temp. of water \_\_\_\_\_  
 Diameter and length of casing 8" I.D. to 66 ft.  
 (Casing 12" in diameter and under give inside diameter; casing 12" in diameter give outside diameter.)  
 If flowing well give flow in c.f.s. or g.p.m. and pressure Well flows about 1.5 G.P.M.  
 If nonflowing well give depth of standing water from surface \_\_\_\_\_  
 If flowing well describe control works Well capped  
 (Type and size of valve, etc.) \_\_\_\_\_  
 Date of commencement of well May 19, 1952 Date of completion of well May 21, 1952  
 Type of well rig Eucyrus Erie 24 L Spudder

### LOG OF FORMATIONS

From feet	To feet	Thickness feet	Type of material	Water-bearing Formation, Casing Perforations, Etc.
0	6	6	Sand	
6	20	14	<del>Clay</del> Clay Water at 20 ft.	Chief aquifer (water-bearing formation)
20	35	15	Sandy clay	from <u>90</u> to <u>180</u> ft.
35	37	2	Limerock water at 37 ft.	Other aquifers _____
37	62	25	Sandy clay	_____
62	90	28	" "	_____
90	92	2	Sand and water	_____
92	99	7	Sandy clay	_____
99	105	6	Sandstone water	_____
105	140	35	Sandy clay	_____
140	145	5	Sandstone with water	_____
145	155	10	Sandy clay	_____
155	180	25	Sandstone and sand 2 ft. layers of sandstone every five ft.	First water at <u>20</u> feet.
				Casing perforated
				from <u>None</u> to _____ ft.
				Size of perforations
				_____

LOG OF FORMATIONS—Continued

From feet	To feet	Thickness	Type of material

CASING RECORD

Diam. casing	From feet	To feet	Length	"Remarks"—Seals, Grouting, Etc.
8" I.D.	0	66	66	8" pipe cemented in with 1½ yds cement

GENERAL INFORMATION—Pumping Test, Quality of Water, Etc.

---



---



---



---



---



---



---

WELL DRILLERS STATEMENT

This well was drilled under my jurisdiction and the above information is true to my best information and belief.

Signed *S. H. McFarquhar*  
Well Driller

By *S. H. McFarquhar*

License No. 45

Dated 6-20, 1952

(Not to be filled in by Driller)

---



---



---



---



---



---



---



---



---



---