

# WELL LOG AND REPORT TO THE STATE ENGINEER OF NEVADA

Log No. 55747  
 Rec. \_\_\_\_\_ 19\_\_\_\_  
 Well No. \_\_\_\_\_  
 Permit No. \_\_\_\_\_  
*Do not fill in*

Owner Keller Driller Bert Hargrave  
 Address East College Address 910 E. College Lic. No. 63  
 Location of well: SE 1/4 NE 1/4 Sec 20, T. 22 N/S, R. 62 E, in Clark County

Water will be used for Domestic Total depth of well 100'

Size of drilled hole 8" Weight of casing per linear foot \_\_\_\_\_

Thickness of casing \_\_\_\_\_ Temp. of water \_\_\_\_\_

Diameter and length of casing 8" 402'  
(Casing 12" in diameter and under give inside diameter; casing 12" in diameter give outside diameter.)

If flowing well give flow in c.f.s. or g.p.m. and pressure \_\_\_\_\_

If nonflowing well give depth of standing water from surface 12/19/52 - 39.60 M.P. Top of casing 0.9 above surface

If flowing well describe control works \_\_\_\_\_  
(Type and size of valve, etc.)

Date of commencement of well 12-6-52 Date of completion of well 12-8-52

Type of well rig "71" Speed Star

### LOG OF FORMATIONS

From feet	To feet	Thickness feet	Type of material
0	10	10	Surface
10	30	20	CLAY
30	35	5	GRAVEL (1st water)
35	45	10	CLAY
45	50	5	GRAVEL
50	84	34	CLAY
84	100	16	CLAY & SAND

*measured depth of well  
 80 ft. from top of casing*

Water-bearing Formation, Casing Perforations, Etc.

Chief aquifer (water-bearing formation)

from 45 to 50 ft.

Other aquifers \_\_\_\_\_

First water at 35 feet.

Casing perforated

from \_\_\_\_\_ to \_\_\_\_\_ ft.

Size of perforations \_\_\_\_\_

