

State

WELL LOG AND REPORT TO THE STATE ENGINEER OF NEVADA

Log No. 55762
 Rec. No. 19
 Well No. _____
 Permit No. _____
Do not fill in

Owner John Little Driller S. R. McKinney & Son
 Address 4410 Able Lane Las Vegas Address 1042 S. Main Las Vegas Lic. No. 45
 Location of well: S 1/4 N 1/4 Sec 20, T 20 N/S, R 62 E, in Clark County
 or 4410 Able Lane
 Water will be used for Domestic Total depth of well 110 ft.
 Size of drilled hole 12" to 50 ft, 10" to 110" Weight of casing per linear foot 10 gauge
 Thickness of casing 10 gauge Temp. of water _____
 Diameter and length of casing 8" I.D. to 110 ft.
 (Casing 12" in diameter and under give inside diameter; casing 12" in diameter give outside diameter.)
 If flowing well give flow in c.f.s. or g.p.m. and pressure _____
 If nonflowing well give depth of standing water from surface 40 ft.
 If flowing well describe control works _____
 (Type and size of valve, etc.) _____
 Date of commencement of well 8-11-59 Date of completion of well 8-13-59
 Type of well rig 72 Speed Star Spudder

LOG OF FORMATIONS

From feet	To feet	Thickness feet	Type of material
0	58	58	brown clay
58	65	7	brown clay, water
65	80	15	brown clay
80	85	5	sandstone, water
85	100	15	brown clay
100	108	8	red clay, water
108	110	2	brown clay & sandstone

Water-bearing Formation, Casing Perforations, Etc.

Chief aquifer (water-bearing formation)
 from 100 to 108 ft.
 Other aquifer 80 to 85
58 to 65
 First water at 58 feet.
 Casing perforated
 from 50 to 110 ft.
 Size of perforations
3/16" X 10"



