

See cont.

WELL LOG AND REPORT TO THE STATE
ENGINEER OF NEVADA

Log No. 55788
Rec. 19
Well No.
Permit No.
Do not fill in

Melonas

Owner GEORGE MELONAS Driller Joseph Metz
Address No Las Vegas Lic. No. 35
Location of well: NESE 1/4 SE 1/4 Sec 20, T 20 N/S, R 62 E, in Clark County

Water will be used for Domestic Total depth of well 80'
Size of drilled hole 8" Weight of casing per linear foot 18#
Thickness of casing 1/4 Temp. of water 68
Diameter and length of casing 6" ID, x 45'
(Casing 12" in diameter and under give inside diameter; casing 12" in diameter give outside diameter.)

If flowing well give flow in c.f.s. or g.p.m. and pressure.
If nonflowing well give depth of standing water from surface 38'

If flowing well describe control works (Type and size of valve, etc.)
Date of commencement of well Aug 6 - 1953 Date of completion of well Aug 14 - 1953

Type of well rig spudlers

LOG OF FORMATIONS

From feet	To feet	Thickness feet	Type of material
-	14	14	silt
14	17	3	gravel in clay
17	22	5	clay
22	27	5	gravel in clay
27	36	9	clay
36	39	3	hard lime
39	40	1	broken lime (W) - 38
40	58	18	soft lime
58	64	6	hard lime
64	75	11	broken lime (W) - 38
75	80	5	clay

Water-bearing Formation, Casing Perforations, Etc.

Chief aquifer (water-bearing formation)

from 64 to 75 ft.

Other aquifers

First water at 39-40 feet.

Casing perforated

from to ft.

Size of perforations



