

WELL LOG AND REPORT TO THE STATE ENGINEER OF NEVADA


Log No. 55813

Rec. _____

Well No. _____

Permit No. _____

Do not fill in



Owner Mickey Boe Driller Nevada Pump & Supply Company

Address 314 Lewis St., Las Vegas, Nev. Address Las Vegas, Nevada Lic. No. 133

Location of well: SW 1/4 NW 1/4 Sec. 17., T.21 N/S, R.61 E. in Clark County

Water will be used for Domestic Total depth of well 100 feet

Size of drilled hole 10" Weight of casing per linear foot 9 lbs.

Thickness of casing 10 gauge Temp. of water _____

Diameter and length of casing 6" x 100'
(Casing 12" in diameter and under give inside diameter; casing 12" in diameter give outside diameter.)

If flowing well give flow in c.f.s. or g.p.m. and pressure _____

If nonflowing well give depth of standing water from surface 45'

If flowing well describe control works _____
(Type and size of valve, etc.)

Date of commencement of well June 17, 1955 Date of completion of well June 30, 1955

Type of well rig Cable Tools

LOG OF FORMATIONS

From feet	To feet	Thickness feet	Type of material
0	3	3	Top Soil
3	14	11	Caliche
14	45	31	Gravel & Sand
45	65	20	Sand - Water
65	81	16	Gravel - Sand
81	91	10	Gravel
91	96	5	Gravel-Sand-Water
96	100	4	Red Clay & Gravel

Water-bearing Formation, Casing Perforations, Etc.

Chief aquifer (water-bearing formation)

from 91 to 96 ft.

Other aquifers 45 - 65

First water at 50 feet.

Casing perforated from 60 to 100 ft.

Size of perforations 1/16" x 8"

