

WELL LOG AND REPORT TO THE STATE ENGINEER OF NEVADA

Log No. 55826
 Rec. _____ 19____
 Well No. _____
 Permit No. _____
Do not fill in

Owner John Sherwin Driller S. R. McKinney & Son
 Address 904 Hassett, Las Vegas, Nev. Address 1042 S. Main Las Vegas Bic. No. 45
 Location of well: NE 1/4 SW 1/4 Sec. 20, T20 N/S, R. 6E, in Clark County
 or _____
 Water will be used for Domestic Total depth of well 100 ft.
 Size of drilled hole 12" to 50 ft., 10" to 100 Weight of casing per linear foot 10 guage
 Thickness of casing 10 guage Temp. of water _____
 Diameter and length of casing 8" I.D. to 100 ft.
 (Casing 12" in diameter and under give inside diameter; casing 12" in diameter give outside diameter.)
 If flowing well give flow in c.f.s. or g.p.m. and pressure _____
 If nonflowing well give depth of standing water from surface 35 ft.
 If flowing well describe control works _____
 (Type and size of valve, etc.) _____
 Date of commencement of well April 6, 1956 Date of completion of well April 7, 1956
 Type of well rig Bucyrus Erie 24 L. Spudder

LOG OF FORMATIONS

From feet	To feet	Thickness feet	Type of material
0	40	40	brown clay
40	42	2	brown sand water
42	50	8	brown clay
50	65	15	gravel water
65	75	10	white clay
75	78	3	brown sand water
78	87	9	brown clay
87	95	8	white sand water
95	100	5	XXXXXX white clay

Water-bearing Formation, Casing Perforations, Etc.

Chief aquifer (water-bearing formation)
 from 87 to 95 ft.

Other aquifers 75 to 78
50 to 65

First water at 40 feet.

Casing perforated
 from 60 to 100 ft.

Size of perforations
3/16" X 10"

