


WELL LOG AND REPORT TO THE STATE ENGINEER OF NEVADA

Log No. 55865
 Rec. _____ 19____
 Well No. _____
 Permit No. _____
Do not fill in



Owner John Whitmer Driller R. P. Efinger
 Address Nellis Road & Monroe Street Address 213 Valley Lane Lic. No. 105
 Location of well: 1/4 Sec. 22., T. 22 N/S, R. 22 E, in Clark County

Water will be used for Domestic Total depth of well 90 feet
 Size of drilled hole 8 Inch Weight of casing per linear foot 8.8 lbs.
 Thickness of casing 12 Guage Temp. of water _____
 Diameter and length of casing 6" OD 80 feet
(Casing 12" in diameter and under give inside diameter; casing 12" in diameter give outside diameter.)

If flowing well give flow in c.f.s. or g.p.m. and pressure _____
 If nonflowing well give depth of standing water from surface _____
 If flowing well describe control works _____
(Type and size of valve, etc.)

Date of commencement of well March 30, 1953 Date of completion of well March 31, 1953
 Type of well rig "71 Star"

LOG OF FORMATIONS				Water-bearing Formation, Casing Perforations, Etc.
From feet	To feet	Thickness feet	Type of material	
0	23	23	Silt	
23	27	4	Gravel	
27	35	8	Yellow Clay	
35	37	2	Lime Stone & Gravel (Water)	Chief aquifer (water-bearing formation) from <u>35</u> to <u>37</u> ft.
37	90	53	Lime Stone	Other aquifers <u>37-90</u>
				First water at <u>35</u> feet.
				Casing perforated from <u>40</u> to <u>80</u> ft.
				Size of perforations <u>1/8" X 12"</u>

LOG OF FORMATIONS—Continued

From feet	To feet	Thickness	Type of material

CASING RECORD

Diam. casing	From feet	To feet	Length	Remarks—Seals, Grouting, Etc.
6" OD	0	80	80	Cemented from 0 to 40 feet Perforated from 40 to 80 feet

GENERAL INFORMATION—Pumping Test, Quality of Water, Etc.

WELL DRILLERS STATEMENT

This well was drilled under my jurisdiction and the above information is true to my best information and belief.

Signed Effinger Bros.
Well Driller
 By A. H. Egginger
License No. 105

Dated March 31, 1953

(Not to be filled in by Driller)
