

WELL LOG AND REPORT TO THE STATE ENGINEER OF NEVADA

Log No. 55972
 Rec. _____ 19____
 Well No. _____
 Permit No. _____
Do not fill in

Owner Monnie Joe Inc. H. house Driller S. R. McKinney & Son
 Address Bx 1871, Las Vegas, Nevada Address 1042 S. Main Las Vegas Lic. No. 45
 Location of well: NE 1/4 NW 1/4 Sec 21, T.20 N/S, R62 E, in Clark County
 or One block south of Mickle lane on christy lane
 Water will be used for Domestic Total depth of well 100 ft.
 Size of drilled hole 10" to 30 ft., 8" to 100 ft. Weight of casing per linear foot 22 lb.
 Thickness of casing 3/16" Temp. of water _____
 Diameter and length of casing 8" O.D. to 40 ft.
(Casing 12" in diameter and under give inside diameter; casing 12" in diameter give outside diameter.)
 If flowing well give flow in c.f.s. or g.p.m. and pressure _____
 If nonflowing well give depth of standing water from surface 40 ft.
 If flowing well describe control works _____
(Type and size of valve, etc.)
 Date of commencement of well March 18, 1953 Date of completion of well March 19, 1953
 Type of well rig Bucyrus Erie 24 L. Snudder

LOG OF FORMATIONS

From feet	To feet	Thickness feet	Type of material	Water-bearing Formation, Casing Perforations, Etc.
0	4	4	Top soil	
4	16	12	hard brown sandy clay	
16	28	12	soft brown sandy clay	
28	40	12	brown sandy clay	
40	45	5	brown sandy clay	Chief aquifer (water-bearing formation) from <u>68</u> to <u>100</u> ft.
45	56	11	graveley brown clay	Other aquifers <u>56 to 68</u>
56	68	12	brown sandy clay Water	
68	82	12	white sandy clay Water	
82	100	18	brown sandy clay Water	
				First water at <u>56</u> feet.
				Casing perforated from _____ to _____ ft.
				Size of perforations _____



