

*State*

# WELL LOG AND REPORT TO THE STATE ENGINEER OF NEVADA

Log No. 56119  
 Rec. ....  
 Well No. ....  
 Permit No. ....  
*Do not fill in*



Owner Rex Tomlinson Driller S. A. McKinney - Son

Address Henderson, Nevada Address 1042 S. Main Las Vegas Lic. No. 45

Location of well: SW 1/4 NW 1/4 Sec. 26., T. 21 N/S, R. 1 E, in Clark County  
or .....

Water will be used for Domestic Total depth of well 160 ft.

Size of drilled hole 12" to 50, 10" to 160 ft. Weight of casing per linear foot 10 gauge

Thickness of casing 10 gauge Temp. of water .....

Diameter and length of casing 8" I.D. to 160 ft.  
(Casing 12" in diameter and under give inside diameter; casing 12" in diameter give outside diameter.)

If flowing well give flow in c.f.s. or g.p.m. and pressure .....

If nonflowing well give depth of standing water from surface 18 ft.

If flowing well describe control works .....

(Type and size of valve, etc.)

Date of commencement of well 4-22-59 Date of completion of well 4-25-59

Type of well rig Cucyrus Erie 24 L, Spudder

## LOG OF FORMATIONS

From feet	To feet	Thickness feet	Type of material
0	3	3	soil and clay
3	16	13	white clay
16	20	4	clay
20	35	15	gravel and clay, water
35	52	17	graveley clay
52	55	3	gravel, water
55	58	3	graveley clay
58	65	7	gravel
65	153	88	graveley clay, water
153	157	4	gravel, water
157	160	3	graveley clay

Water-bearing Formation, Casing Perforations, Etc.

---

Chief aquifer (water-bearing formation)  
 from 153 to 157 ft.

Other aquifers 65 to 153  
52 to 55

---

First water at 20 feet.

---

Casing perforated  
 from 65 to 160 ft.

---

Size of perforations  
3/16" x 10"



