

WELL LOG AND REPORT TO THE STATE ENGINEER OF NEVADA

Log No. 56356
 Rec. _____ 19____
 Well No. _____
 Permit No. _____
Do not fill in

Owner Mr. Greppin Driller P. R. McKinney & Son

Address Nellis Blvd., Las Vegas Address 1042 S. Main Las Vegas Lic. No. 45

Location of well: SW 1/4 SW 1/4 Sec. 21., T. 20N/S, R. 62E, in Clark County

or _____

Water will be used for Domestic Total depth of well 100 ft.

Size of drilled hole 10" to 35 ft., 8" to 100 ft Weight of casing per linear foot 10 Guage

Thickness of casing 10 guage Temp. of water _____

Diameter and length of casing 8" O.D. to 40 ft.
 (Casing 12" in diameter and under give inside diameter; casing 12" in diameter give outside diameter.)

If flowing well give flow in c.f.s. or g.p.m. and pressure _____

If nonflowing well give depth of standing water from surface 35 ft.

If flowing well describe control works _____
 (Type and size of valve, etc.)

Date of commencement of well Nov 19, 1953 Date of completion of well Nov 19, 1953

Type of well rig Bucyrus Erie 25 L. Spudder

LOG OF FORMATIONS				Water-bearing Formation, Casing Perforations, Etc.
From feet	To feet	Thickness feet	Type of material	
0	6	6	topsoil	
6	35	29	brown clay	Chief aquifer (water-bearing formation)
35	38	3	gravel water	from <u>95</u> to <u>100</u> ft.
38	50	12	red sandy clay	Other aquifers <u>75 to 80</u>
50	60	10	red sand water	<u>50 to 60</u>
60	75	15	red sandy clay	
75	80	5	red sand water	First water at <u>35</u> feet.
80	95	5	white clay	Casing perforated
95	100	5	white sand water	from <u>none</u> to _____ ft.
				Size of perforations _____



