

WELL LOG AND REPORT TO THE STATE ENGINEER OF NEVADA

Log No. 56605
 Rec. _____ 19____
 Well No. _____
 Permit No. _____
Do not fill in



Owner Bonnie Jo Inc. and Lloyd Pollock Driller S. R. McKinney & Son

Address Box 1871, Las Vegas, Nev. Address 1042 S. Main Las Vegas Lic. No. 45

Location of well: SE-¼ SE-¼ Sec. 21., T. 20N/S, R. 62E, in Clark County

or _____

Water will be used for Domestic Total depth of well 100 ft.

Size of drilled hole 10" to 35 ft, 8" to 100 Weight of casing per linear foot 10 guage

Thickness of casing 10 guage Temp. of water _____

Diameter and length of casing 8" I.D. to 40 ft.
(Casing 12" in diameter and under give inside diameter; casing 12" in diameter give outside diameter.)

If flowing well give flow in c.f.s. or g.p.m. and pressure _____

If nonflowing well give depth of standing water from surface 40 ft.

If flowing well describe control works _____
(Type and size of valve, etc.)

Date of commencement of well March 8, 1954 Date of completion of well March 8, 1954

Type of well rig Encyrus Erie 24 L, Spudder

LOG OF FORMATIONS

From feet	To feet	Thickness feet	Type of material
0	40	40	brown clay
40	45	5	brown sand water
45	60	15	brown clay
60	65	5	brown sand water
65	75	10	brown clay
75	80	5	white sand water
80	95	15	white clay
95	100	5	white sand water

Water-bearing Formation, Casing Perforations, Etc.

Chief aquifer (water-bearing formation)

from 95 to 100 ft.

Other aquifers 75 to 80

60 to 65, 40 to 45

First water at 40 feet.

Casing perforated

from none to _____ ft.

Size of perforations



