

WELL LOG AND REPORT TO THE STATE ENGINEER OF NEVADA

PLEASE COMPLETE THIS FORM IN ITS ENTIRETY

Log No. 57179

Rec. _____ 19__

Well No. _____

Permit No. _____

Do not fill in

Owner Mike Morris Driller Effinger Drilling & Pump

Address 520 North 14 Street #2 Address Box 579 City _____ Lic. No. 212

Location of well: NE 1/4, NE 1/4 Sec. 29., T. 20N/S, R. 12E, in Clark County

or NE Corner Monroe & Ringe Lane - 1418 Ringe Lane

Water will be used for Domestic Total depth of well 135 feet

Size of drilled hole 12 inch Weight of casing per linear foot .1414

Thickness of casing .156 Temp. of water _____

Diameter and length of casing 8 5/8 OD 135 feet
(Casing 12" in diameter and under give inside diameter; casing 12" in diameter give outside diameter.)

If flowing well give flow in c.f.s. or g.p.m. and pressure _____

If nonflowing well give depth of standing water from surface 45'

If flowing well describe control works _____
(Type and size of valve, etc.)

Date of commencement of well 11/16/62 Date of completion of well 11/20/62

Type of well rig "71 Speedstar"

LOG OF FORMATIONS

From feet	To feet	Thickness feet	Type of material
0	30	30	Brown Clay
30	42	12	White clay & limestone
42	50	8	Brown Clay
50	70	20	Decomposed Limestone (Water)
70	85	15	White Clay
85	110	25	Limestone (Water)
110	130	20	White Clay
130	135	5	Limestone (Water)

Water-bearing Formation, Casing Perforations, Etc.

Chief aquifer (water-bearing formation)

from 85 to 110 ft.

Other aquifers 130-135

50

First water at _____ feet.

Casing perforated

from 90 to 130 ft.

Size of perforations

1/8" X 12" Torch



