

WELL LOG AND REPORT TO THE STATE
ENGINEER OF NEVADA

Log No. 57227
 Rec. _____ 19____
 Well No. _____
 Permit No. _____
 Do not fill in

Owner Mr. Sharp Driller S. R. McKinney & Son

Address ~~XXXXXXXXXXXXXXXX~~ 1405 Nelson St. Address 1042 S. Main St. L.V. Lic. No. 45
North Las Vegas

Location of well: SE 1/4 NW 1/4 Sec 28., T20 N/S, R62 E, in Clark County
 or _____

Water will be used for Domestic Total depth of well 100 ft.

Size of drilled hole 12" to 55 ft 10" to 100 Weight of casing per linear foot 24 lb.

Thickness of casing 1/4" Temp. of water _____

Diameter and length of casing 8" I.D. to 100 ft.
 (Casing 12" in diameter and under give inside diameter; casing 12" in diameter give outside diameter.)

If flowing well give flow in c.f.s. or g.p.m. and pressure _____

If nonflowing well give depth of standing water from surface 26 ft.

If flowing well describe control works _____
 (Type and size of valve, etc.)

Date of commencement of well Jan. 28, 1957 Date of completion of well Jan 29, 1957

Type of well rig Bucyrus Eire 24 L. Spudder

LOG OF FORMATIONS

From feet	To feet	Thickness feet	Type of material
0	4	4	soil and clay
4	10	6	cement gravel
10	14	4	clay
14	20	6	cement gravel
20	40	20	clay
40	80	40	white clay water
80	90	10	clay and gravel
90	100	10	grey clay and gravel water

Water-bearing Formation, Casing Perforations, Etc.

Chief aquifer (water-bearing formation)
 from 90 to 100 ft.

Other aquifers 40 to 80

First water at 40 feet.

Casing perforated
 from 60 to 100 ft.

Size of perforations?
3/16" x 10"

RECEIVED
 STATE ENGINEER
 JAN 31 1957
 RECEIVED
 ANS



