

WELL LOG AND REPORT TO THE STATE ENGINEER OF NEVADA



Log No. 57236
 Recd. _____ 19____
 Well No. _____
 Permit No. _____
Do not fill in

Owner Smith & Mickle Driller S. R. McKinney & Son
 Address East College Address 1042 S. Main Las Vegas Lic. No. 45
 Location of well: NW 1/4 NW 1/4 Sec 28, T. 20 N/S, R. 62 E, in Clark County

Water will be used for Domestic Total depth of well 80 ft.
 Size of drilled hole 12" to 30 ft. 8" to 80 ft. Weight of casing per linear foot 18 lb.
 Thickness of casing 3/16" Temp. of water _____
 Diameter and length of casing 8" O.D. to 40 ft.
(Casing 12" in diameter and under give inside diameter; casing 12" in diameter give outside diameter.)

If flowing well give flow in c.f.s. or g.p.m. and pressure _____
 If nonflowing well give depth of standing water from surface 30 ft.
 If flowing well describe control works _____
(Type and size of valve, etc.)

Date of commencement of well Feb 25, 1953 Date of completion of well Feb 25, 1953
 Type of well rig Bucyrus Erie 2L E Sudder

LOG OF FORMATIONS

From feet	To feet	Thickness feet	Type of material
0	30	30	XXXXXXXXXX Brown clay
30	35	5	XXX brown sand Water
35	45	10	red sandy clay
45	50	5	red sand water
50	65	15	red sandy clay
65	75	10	red sand water
75	80	5	white clay

Water-bearing Formation, Casing Perforations, Etc.

Chief aquifer (water-bearing formation)

from 65 to 75 ft.

Other aquifers 45 to 50

First water at 30 feet.

Casing perforated

from _____ to _____ ft.

Size of perforations



