

WELL LOG AND REPORT TO THE STATE ENGINEER OF NEVADA

Log No. 57242
 Recd. _____ 19____
 Well No. _____
 Permit No. _____
 Do not fill in

Owner Stout, Meikle Driller S. R. McFarley & Son
 Address East College Address 1042 E. Main Las Vegas No. 15
 Location of well: SW SW 1/4 NW 1/4 Sec. 28, T. 20N/S, R. 62E, in Clark County
 or Lot # 8 Blk 4 Meikle Manor #2
 Water will be used for Domestic Total depth of well 75 ft.
 Size of drilled hole 12" to 35 ft. 8" to 75 ft. Weight of casing per linear foot 20 lb.
 Thickness of casing 3/16" Temp. of water _____
 Diameter and length of casing 3" O.D. to 40 ft.
 (Casing 12" in diameter and under give inside diameter; casing 12" in diameter give outside diameter.)
 If flowing well give flow in c.f.s. or g.p.m. and pressure _____
 If nonflowing well give depth of standing water from surface 30 ft.
 If flowing well describe control works _____
 (Type and size of valve, etc.) _____
 Date of commencement of well Feb. 3, 1953 Date of completion of well Feb. 3, 1953
 Type of well rig Bucyrus Erie 24 L, Spudder

LOG OF FORMATIONS

From feet	To feet	Thickness feet	Type of material
0	30	30	Brown clay
30	34	4	Sand Water
34	55	21	Brown sandy clay
55	60	5	White sand water
60	70	10	White clay
70	75	5	White sand Water

Water-bearing Formation, Casing Perforations, Etc.

Chief aquifer (water-bearing formation)

from 55 to 60 ft.

Other aquifers 70 to 75

First water at 30 ft. feet.

Casing perforated

from 30 to 40 ft.

Size of perforations

3/16" x 10"

